

Canadian Anaesthetists' Society Journal

Index of Authors

VOLUME 33, 1986

- Abdulatif M, Naguib M.* Accelerated reversal of atracurium blockade with divided doses of neostigmine, 723
- see *Naguib M*, jt. auth.
- Abou-Madi M*, see *Katz JM*, jt. auth.
- see *Lenis S*, jt. auth.
- Abou-Madi N*, see *Katz JM*, jt. auth.
- Absood A*, see *Naguib M*, jt. auth.
- Absood GH*, see *Naguib M*, jt. auth.
- Adu-Gyamfi Y*, see *Naguib M*, jt. auth.
- Ahern Cp*, see *Gronert GA*, jt. auth.
- Ahuja B*, see *Sharpe D*, jt. auth.
- Allen G, Samson B.* Contralateral Horner's syndrome following stellate ganglion block (correspondence), 112
- Allen G, Samson B.* Contralateral spread of local anaesthetic solutions (correspondence reply), 829
- Amaranath L, Esfandiari S, Lockrem J, Rollins M.* Epidural analgesia for total hip replacement in a patient with dilated cardiomyopathy (clinical report), 84
- Amyot R*, see *Michoud MC*, jt. auth.
- Anderson BJ*, see *Johnston RG*, jt. auth.
- Anderson JK*, see *Bennett MJ*, jt. auth.
- Anderson KD*, see *Kapsten JE*, jt. auth.
- Anderson S*, see *Tremper KK*, jt. auth.
- Ansley D*, see *Litak C*, jt. auth.
- Ansley DM, Bent JM, Ramsay JG, Whalley DG, Wynands JE.* Cardiac function during abdominal aortic surgery. Preoperative assessment of the need for pulmonary artery catheterization (abst.), S70
- Antzaka C*, see *Donati F*, jt. auth.
- Anzai Y*, see *Nishikawa T*, jt. auth.
- Archer DP*, see *Labrecque P*, jt. auth.
- see *Lenis S*, jt. auth.
- Arvieux CC*, see *Ramsay JG*, jt. auth.
- Axelson JE*, see *McMorland GH*, jt. auth.
- Azar I*, see *Thiagarajah S*, jt. auth.
- see *Friesen C*, jt. auth.
- Baillergeon R*, see *Hardy J-F*, jt. auth.
- Baker JP*, see *McDonald NJ*, jt. auth.
- Barabas E, Zsigmond EK, Kirkpatrick AF.* The inhibitory effect of esmolol on human plasmacholinesterase, 332
- Baraka A.* Haemodynamic reactions to succinylcholine – an alternative hypothesis (correspondence), 252
- Barker SJ*, see *Tremper KK*, jt. auth.
- Barr M*, see *Rasch DK*, jt. auth.
- Barra DP, Dru M, Freffe B.* Late venous perforations due to percutaneous central venous cannulation (correspondence), 255
- Barry P*, see *Cunningham AJ*, jt. auth.
- Barry PP*, see *Plourde G*, jt. auth.
- Bautista MJ, Kuwahara BS, Henderson CU.* Transcutaneous oxygen monitoring in an infant undergoing tracheoesophageal fistula repair (clinical report), 505
- Baxter A*, see *Samson B*, jt. auth.
- Baxter M, Bevan JC, Donati F, Bevan DR.* d-Tubocurarine priming in children (abst.), S86
- Bayliff CD*, see *Reid SR*, jt. auth.
- Bedder MD, Kozody R, Palahniuk RJ, Cumming MO, Pucci WR.* Clonidine prolongs canine tetracaine spinal anaesthesia, 591
- Bedford RF*, see *Minton MD*, jt. auth.
- Bélisle S, Hardy JF, Saint-Germain JF.* Réponse hémodynamique à l'intubation chez le patient éveillé (abst.), S117
- Bellefleur M, Layon J, Gallagher TJ, Berman LS, Davidson DD.* Effects of high frequency vs conventional mechanical ventilation on intracranial and cerebral perfusion pressures (abst.), S94
- Belman AB*, see *Kapsten JE*, jt. auth.
- Bennett MJ, Anderson LK, McMillan JC, Ebertz JM, Hanifin JM, Hirschman CA.* Anaphylactic reaction during anaesthesia associated with positive intradermal skin test to fentanyl (clinical report), 75
- Bent JM*, see *Ansley DM*, jt. auth.
- Benumof JL.* Anaesthesia for thoracic surgery: recent advances: refresher course outline, S28
- Bachman CR, Biehl DR, Sitar D, Cumming M, Pucci W.* Isoflurane potency and cardiovascular effects during short exposures in the foetal lamb, 41

- Berger L, see Sitar DS, jt. auth.
- Berman LS, see Bellefleur M, jt. auth.
- Bernard JM, Pinard M, Carteau S, Hubert C, Souron R. Hypotensive actions of diltiazem and nitroprusside compared during fentanyl anaesthesia for total hip arthroplasty, 308
- Bertram SG, Koch JP, Dubbin JD, Maggisano R, McKenzie RN. Haemodynamic and metabolic changes after aortic cross-clamping for thoraco-abdominal aneurysm resection (abst.), S68
- Bevan DR, see Baxter M, jt. auth.
- see Donati F, jt. auth.
- see Lahoud J, jt. auth.
- Biehl D, Palahniuk RJ. Update on obstetrical anaesthesia (continuing medical education), 238
- Biehl DR, see Bachman CR, jt. auth.
- see Friesen C, jt. auth.
- Bissonnette B, Lerman J. Single breath end-tidal PCO₂ approximates arterial PCO₂ in infants and children: abst., S76
- Roy WL. Obstruction of fresh gas flow in an Ayre's T-piece (correspondence), 535
- Bizzarri-Schmid MD, Desai S. Prolonged neuromuscular blockade with atracurium (clinical report), 209; (correspondence – reply), 684
- Blackstock D, Gettes MA. Negative pressure in the middle ear in children after nitrous oxide anaesthesia, 32
- Blaise G, Sill JC, Nugent M, Vanhoutte PM. Fentanyl and responsiveness of canine coronary arterial smooth muscle (abst.), S104
- see Lamarche Y, jt. auth.
- Blaise GA, Roy WL. Spinal anaesthesia for minor paediatric surgery (clinical report), 227
- Blanc VF, Vaillancourt G, Brisson G. Succinylcholine, fasciculations and myoglobinaemia, 178
- Bleyaert AL, see Haigh JD, jt. auth.
- Bohn DJ, see Burrows FA, jt. auth.
- Boulanger M, see Maillé J-G, jt. auth.
- Bradley JW, see Hudes ET, jt. auth.
- Brebner J, see Hudes ET, jt. auth.
- Brisson G, see Blanc VF, jt. auth.
- Briser S, see Robinson RJS, jt. auth.
- Britt BA. Malignant hyperthermia: choice of anaesthesia for muscle biopsy (correspondence), 419
- see Cunliffe M, jt. auth.
- Broadman LM, see Kapsten JE, jt. auth.
- see Rosen KR, jt. auth.
- Brock-Utne JG, see Humphrey D, jt. auth.
- Browder F, see Rasch DK, jt. auth.
- Brown P, Caplan RA. Recognition of an unsuspected pheochromocytoma during elective coronary artery surgery (clinical report), 785
- Brown SC, Lam AM, Manninen PH. Haemodynamic effects of high-dose mannitol in man (abst.), S92
- Monitoring of somatosensory-evoked potentials in man during isoflurane and isoflurane-nitrous oxide anaesthesia (abst.), S80
- see Manninen PH, jt. auth.
- Brown SJL, see Girotti MJ, jt. auth.
- Booij LHDJ, see Smelt WLH, jt. auth.
- Bose D, see Ong BY, jt. auth.
- Boucherez C, see Delva E, jt. auth.
- Boulton AJ, Wilson N, Turnbull KW, Yip RW. Haemodynamic and plasma vasopressin responses during high-dose fentanyl or sufentanil anaesthesia, 475
- Burn JMB, see Wilton NCT, jt. auth.
- Burrows FA, Klinck JR, Rabinovitch M, Bohn DJ. Pulmonary hypertension in children: perioperative management (review article), 606
- Norton JB, Fewell J. Cardiovascular and respiratory effects of ketamine in the neonatal lamb, 10
- see Cunliffe M, jt. auth.
- Byrick RJ. Acute renal failure: update: refresher course outline, S9
- Howie G, Kay JC, Waddell JP, Mullen B. Monitoring for marrow embolism during cemented arthroplasty procedures (abst.), S120
- Rose DK. Will we ever have a universal anaesthetic breathing system? (editorial), 694
- Cannon JE, see Friesen RM, jt. auth.
- see Thomson IR, jt. auth.
- Caplan RA, see Brown P, jt. auth.
- Carli F, see Ralley FE, jt. auth.
- Carteau S, see Bernard JM, jt. auth.
- Cartwright P, see McCarroll SM, jt. auth.
- Casey W, see Cunningham AJ, jt. auth.
- Casthely PA, Dluzneski J, Resurreccion MA, Kleopoulos, Redko V. Ventricular fibrillation during general anaesthesia in a seven-year-old patient with mitral valve prolapse (clinical report), 795
- see Fyman PN, jt. auth.
- Catchlove RFH. Integrated management of chronic pain (refresher course outline), S13
- Catran C, see Lewis GW, jt. auth.
- Cervenka FW, see Milne B, jt. auth.
- Chandon M, see Delva E, jt. auth.
- Charest J, see Hardy J-F, jt. auth.
- Cheng S-C, see Dykes MHM, jt. auth.

- Chovaz P, see Sandler AN, jt. auth.
- Chraemmer-Jørgensen B, Højlund-Carlsen PF, Marving J, Christensen V.* Left ventricular ejection fraction during anaesthetic induction: comparison of rapid-sequence and elective induction, 755
- Christensen V*, see *Chraemmer-Jørgensen B*, jt. auth.
- Chubra-Smith NM, Grant RP, Jenkins LC.* Perioperative transcutaneous oxygen monitoring in thoracic anaesthesia, 745
- Chung DC, Hunter DJ, Pavan FJ.* The quick-mount pipeline connector: failure of a "fail-safe" device (clinical report), 666
- see *Lim G*, jt. auth.
- Chung F, Meier R.* General or spinal anaesthesia: which is better for the elderly? (abst.), S118
- Cohen G*, see *Kapur PA*, jt. auth.
- Cohen H*, see *Dykes MHM*, jt. auth.
- Cohen L.* The medical devices adverse experience reporting project (editorial), 1
- Cohen MM, Duncan PG, Pope WDB, Wolkenstein C.* Postoperative complications (correspondence – reply), 533
- A survey of 112,000 anaesthetics at one teaching hospital (1975–1983), 22
- Coleman P, Roth S.* Combinations of volatile anaesthetics do not produce simple additive effects on a single isolated neuron (abst.), S108
- Cook DR.* Newborn anaesthesia: pharmacological considerations (refresher course outline), S38
- Coombs DW*, see *Yeager MP*, jt. auth.
- Côté C*, see *Hardy J-F*, jt. auth.
- Côté CJ, Liu LMP, Szyfelbein SK, Firestone S, Goudsouzian NG, Welch JP, Daniels AL.* Intraoperative events diagnosed by expired carbon dioxide monitoring in children, 315
- Cottrell JE*, see *Fyman PN*, jt. auth.
- Couture J*, see *Michoud MC*, jt. auth.
- Covino BG.* Recent advances in local anaesthesia (refresher course outline), S5
- see *Liu PL*, jt. auth.
- Craig DB*, see *Moodie PF*, jt. auth.
- Crean P, Gideon K, Goresky G, Klein J, Macleod S.* Fentanyl-oxygen versus fentanyl-N₂O oxygen anaesthesia in children undergoing cardiac surgery, 36
- Cumming MO*, see *Bachman CR*, jt. auth.
- see *Bedder MD*, jt. auth.
- Cunliffe M, Lerman J, Britt BA.* Is prophylactic dantrolene indicated for MHS patients undergoing elective surgery? (abst.), S113
- *Lucero VM, McLeod ME, Burrows FA, Lerman J.* Neuromuscular blockade for rapid tracheal intubation in children: comparison of succinylcholine and pancuronium, 760
- Cunningham AJ, Barry P.* Intraocular pressure-physiology and implications for anaesthetic management: review article, 195
- *Casey W, Hannon V.* Visual evoked changes following transurethral prostatectomy – correlation with glycine absorption and ammonia metabolism (abst.), S96
- see *Hannon VM*, jt. auth.
- Dajee H*, see *Kapur PA*, jt. auth.
- Dangol H*, see *Maltby JR*, jt. auth.
- Daniels AL*, see *Côté CJ*, jt. auth.
- Davidson DD*, see *Bellefleur M*, jt. auth.
- Davies JM.* Consequence versus subsequence: outcome after anaesthesia (editorial), 265
- see *Paasuke RT*, jt. auth.
- de Lange JJ*, see *Smelt WLH*, jt. auth.
- Delva E, Sadoul N, Chandon M, Boucherez C, Lienhart A.* Air embolism during liver resection: an unusual mechanism of entry from a peristaltic pump (clinical report), 488
- Derrick JB.* AIDS and the safety and adequacy of the Canadian blood supply (editorial), 117
- Desai SP*, see *Bizzarri-Schmid MD*, jt. auth.
- Desmots JM*, see *Tiret L*, jt. auth.
- DeWolf AM*, see *Haigh JD*, jt. auth.
- Diamond C*, see *Lam AM*, jt. auth.
- Dluzneski J*, see *Casthely PA*, jt. auth.
- Dodge CP*, see *Yeager MP*, jt. auth.
- Dohi S*, see *Fukada T*, jt. auth.
- see *Nishikawa T*, jt. auth.
- Dolman J, Godin DV.* Myocardial ischaemic/reperfusion injury in the anaesthetized rabbit: comparative effects of halothane and isoflurane, 443
- Donati F.* Prolonged neuromuscular blockade with atracurium (correspondence), 683
- *Lahoud J, Walsh CM, Lavelle PA, Bevan DR.* Onset of pancuronium and d-tubocurarine blockade with priming, 551
- *McCarroll SM, Antzaka C, Bevan DR, McCreedy D.* Dose-response relationships for edrophonium, pyridostigmine and neostigmine as antagonists of pancuronium and d-tubocurarine (abst.), S87
- see *Baxter M*, jt. auth.
- see *Lahoud J*, jt. auth.
- see *McCarroll SM*, jt. auth.
- see *Robbins R*, jt. auth.

- Donati R, Bevan DR. The influence of patient's sex, age and weight on pancuronium onset time (abst.), S86
- Donegan J. CPR 1986 (refresher course outline), S43
- Douglas MJ, Kim JHK, Ross PLE, McMorland GH. The effect of epinephrine in local anaesthetic on epidural morphine-induced pruritus, 737
- McMorland GH. The anaesthetic management of the malignant hyperthermia susceptible parturient (clinical report), 371
- see McMorland GH, jt. auth.
- Downing JW, see Humphrey D, jt. auth.
- Doyle DJ. Arterial/alveolar oxygen tension ratio (a critical appraisal), 471
- Relton JES. A high-pressure alarm for the detection of obstruction of the fresh gas line in the T-piece circuit (technical report), 94
- Dru M, see Barra DP, jt. auth.
- Dubbin JD, see Bertram SG, jt. auth.
- Dubé S, see Hardy JF, jt. auth.
- Duke PC, see Kozody R, jt. auth.
- see Sitar DS, jt. auth.
- Duncan PG, see Chohen MM, jt. auth.
- Dykes MHM, Cheng S-C, Cohen H, Valle RF. Multiple neuromuscular blocking agents and reversal in a patient with absent plasma cholinesterase (clinical report), 657
- Dyrda I, see Maillé J-G, jt. auth.
- Ebert JM, see Bennett MJ, jt. auth.
- Ehrenpreis MB, see Hannallah RS, jt. auth.
- Esfandiari S, see Amaranath L, jt. auth.
- Estafanous FG, see Sethna DH, jt. auth.
- Eustis S, Lerman J, Smith D. Droperidol pretreatment in children undergoing strabismus repair: the minimal effective dose (abst.), S115
- Famewo CE, see Naguib M, jt. auth.
- Farg H, see Naguib M, jt. auth.
- Farrar JK, see Woodcock TE, jt. auth.
- Farrell M, see Gelb AW, jt. auth.
- Fewel J, see Burrows FA, jt. auth.
- Finch JS, see Rudow M, jt. auth.
- Finholt DA, see Johns RA, jt. auth.
- Firestone S, see Coté CJ, jt. auth.
- Flacke W, see Kapur PA, jt. auth.
- Floyd P, see Gelb AW, jt. auth.
- Foëx P, see Ramsay JG, jt. auth.
- Forbes RB, Kumar V, Mitros FA, Johnson GM. Plasma levels and mucosal damage following rectal administration of 2% or 1% methohexitone in rats (abst.), S107
- Fox GS, see Writer WDR, jt. auth.
- Freedman J, Lim C, Wright J. Changing patterns of transfusion practice in a tertiary care hospital from 1977-1984, 458
- Freffe B, see Barra DP, jt. auth.
- Friesen C, Yarnell R, Bachman C, Meatheral R, Biehl D. The effect of lidocaine on regional blood flows and cardiac output in the non-stressed and the stressed foetal lamb, 130
- Friesen RM, Thomson IR, Hudson RJ, Rosenbloom M, Putnins CL, Cannon JE. Fentanyl oxygen anaesthesia for abdominal aortic surgery, 719
- Fukuda T, Dohi S. Anaphylactic reaction to fentanyl or preservative (correspondence), 826
- Fuller HD. Cyanosis of the hands following the use of alphaprodine in dental anaesthesia (clinical report), 213
- Fuller J, Gelb AW, Karlik S. The influence of halothane and innovar on brain oedema formation (abst.), 110
- Fullerton HA, see Litak C, jt. auth.
- see Ralley FE, jt. auth.
- Fyman PN, Cottrell JE, Kushins L, Casthely PA. Vasodilator therapy in the perioperative period (review article), 629
- Gallacher WN, see McDonald NJ, jt. auth.
- Gallagher TJ, see Bellefleur M, jt. auth.
- Gambling DR, see McMorland GH, jt. auth.
- Gatt S, see Liu PL, jt. auth.
- Gauthier M, Lacroix J, Rousseau E. Motifs d'admission et causes de mortalité dans une unité multidisciplinaire de soins intensifs pédiatriques (clinical report), 89
- Gelb AW, Floyd P, Lok P, Peerless SJ, Farrell M. A prophylactic bolus of thiopentone does not protect against prolonged focal cerebral ischaemia, 173
- see Fuller J, jt. auth.
- see Lam AM, jt. auth.
- see Manninen PH, jt. auth.
- Gellman MD, see Telzclaff JE, jt. auth.
- Gemmell L, see McGillivray RG, jt. auth.
- Gerber HR, Romppainen J, Schwinn W. Potentiation of atracurium by pancuronium and d-tubocurarine, 563
- Gettes MA, see Blackstock D, jt. auth.
- Gideon K, see Crean P, jt. auth.
- Girotti MJ, Brown SJL. Factors predicting discharge from intensive care: a Canadian experience, 294

- Reducing the costs of ICU admission in Canada without diagnosis-related or case-mix groupings, 765
- Girouard G*, see *Hardy J-F*, jt. auth.
- Godin DV*, see *Dolman J*, jt. auth.
- Goldberg ME*, *Moore JH*, *Jarrell BE*, *Seltzer JL*. Anaesthetic technique for transvenous pulmonary embolectomy (clinical report), 79
- Goldberg RJ*, see *Porter SS*, jt. auth.
- Goresky G*, see *Crean P*, jt. auth.
- Goresky GV*, see *Sharpe D*, jt. auth.
- Goudsouzian NG*, see *Côté CJ*, jt. auth.
- Gourdeau M*, *Martin R*, *Lamarche Y*, *Tétreault L*. Oscillometry and direct blood pressure: a comparative clinical study during deliberate hypotension, 300
- Grace DM*, see *Lam AM*, jt. auth.
- see *Moote CA*, jt. auth.
- Grant RP*, see *Chubra-Smith NM*, jt. auth.
- Green CG*. Further improvements in the technique of fiberoptic intubation (correspondence - reply), 824
- Greengrass R*, see *Ong BY*, jt. auth.
- Greer D*, see *Rasch DK*, jt. auth.
- Gregory G*, see *Ong BY*, jt. auth.
- Gronert GA*, *Ahern CP*, *Milde JH*. Treatment of procine malignant hyperthermia: lactate gradient from muscle to blood, 729
- Guay J*, see *Hardy J-F*, jt. auth.
- Gugino LD*, see *Liu PL*, jt. auth.
- Guiraudon G*, see *Woodstock TE*, jt. auth.
- Guzetta PC*, see *Kapsten JE*, jt. auth.
- Gyasi HK*, see *Naguib M*, jt. auth.

- Ha HC*, *Weiler RL*. Estimation of blood loss in the operating room (correspondence), 685
- Haigh JD*, *Nemoto EM*, *DeWolf AM*, *Bleyaert AL*. Comparison of the effects of succinylcholine and atracurium on intracranial pressure in monkeys with intracranial hypertension, 421
- Hall ID*, see *Mayhew JF*, jt. auth.
- Hanifin JA*, see *Bennett MJ*, jt. auth.
- Hannallah RS*, *Patel RI*, *Ehrenpreis MB*, *Soliman IE*. The need for oxygen following anaesthesia in children: correlation with recovery scores (abst.), S111
- see *Kapsten JE*, jt. auth.
- Hannon VM*, *Cunningham AJ*, *Hutchinson M*, *McNicholas W*. Aspiration pneumonia and coma - an unusual presentation of dystrophica myotonia (clinical report), 803
- see *Cunningham AJ*, jt. auth.

- Hardy J-F*, *Charest J*, *Girouard G*, *Lepage Y*. Nausea and vomiting after strabismus surgery in preschool children, 57
- *Guay J*, *Baillergeon R*. A plan for the anaesthetic management of a patient coming to surgery (correspondence), 256
- *Plourde G*, *Lebrun M*, *Dubé S*, *Côté C*. Measuring the volume of gastric contents under general anaesthesia: evaluation of two clinical methods (abst.), S119
- see *Bélisle S*, jt. auth.
- see *Plourde G*, jt. auth.
- Harpin RP*, see *McDonald NJ*, jt. auth.
- Harrison L*, see *Ralley FE*, jt. auth.
- see *Hickey DR*, jt. auth.
- Haskel Y*, see *Vatasjsky E*, jt. auth.
- Hatton F*, see *Tiret L*, jt. auth.
- Heinonen J*, *Salmenperä M*, *Suomivuori M*. Contribution of muscle relaxant to the haemodynamic course of high-dose fentanyl anaesthesia: a comparison of pancuronium, vecuronium and atracurium, 597
- Henderson CU*, see *Bautista MJ*, jt. auth.
- Henderson MB*, see *Milne B*, jt. auth.
- Hickey DR*, *Harrison L*, *Ramsay JG*, *Wynands JE*. Hyperkalaemic cardiac arrest following intravenous hydralazine and propranolol therapy post-embolectomy (clinical report), 379
- Hill AB*, see *Rudow M*, jt. auth.
- Hirano T*, see *Yamashita M*, jt. auth.
- Hirshman CA*, see *Bennett MJ*, jt. auth.
- Høiland-Carlsen PF*, see *Chraemmer-Jørgensen*, jt. auth.
- Hope CE*, *Morrison DL*. Understanding and selecting monitoring equipment in anaesthesia and intensive care (continuing medical education), 670
- see *O'Brien DJ*, jt. auth.
- Howie G*, see *Byrick RJ*, jt. auth.
- Hubert C*, see *Bernard JM*, jt. auth.
- Hudes ET*, *Bradley JW*, *Brebner J*. Hydro-pneumothorax - an unusual complication of lung lavage (clinical report), 622
- Hudson RJ*, see *Friesen RM*, jt. auth.
- see *Thomson IR*, jt. auth.
- Humphrey D*, *Brock-Utne JG*, *Downing JW*. Single lever Humphrey A.D.E. low flow universal anaesthetic breathing system:
 - Part I: Comparison with dual lever A.D.E., Magill and Bain systems in anaesthetized spontaneously breathing adults, 698
 - Part II: Comparison with Bain system in anaesthetized adults during controlled ventilation, 710

- Hunter DJ, see Chung DC, jt. auth.
 Hurtig JB, see Writer WDR, jt. auth.
 Hutchinson M, see Hannon VM, jt. auth.
- Ibrahim AEW, see Naguib M, jt. auth.
 Imrie DD, see O'Brien DJ, jt. auth.
- Jann H, see McGillivray RG, jt. auth.
 Janson BA, Poulton TJ. Does PEEP reduce the incidence of aspiration around endotracheal tubes? 157
 Jarrell BE, see Goldberg ME, jt. auth.
 Jeanneret-Grosjean A, see Michoud MC, jt. auth.
 Jeffery WK, see McMorland GH, jt. auth.
 Jenkins LC, see Chubra-Smith NM, jt. auth.
 – see McMorland GH, jt. auth.
 – see Malm DN, jt. auth.
 Johns RA, Finholt DA, Stirt JA. Anaesthetic management of a child with dermatomyositis (clinical report), 71
 Johnson GM, see Kumar V, jt. auth.
 Johnston RG, Anderson BJ, Noseworthy TW, Shustack A. Diprivan versus thiopentone for outpatient surgery (abst.), S106
 Jones E, see Robinson RJS, jt. auth.
 Jones LA, see Ramsay JG, jt. auth.
- Kapsten JE, Broadman LM, Hannallah RS, Norrie WC, Mundy GL, Belman AB, Anderson KD, Guzzetta PC. Is there optimum concentration of bupivacaine for caudal analgesia in outpatient surgery for children? (abst.), S114
 Kapur PA, Norel EJ, Dajee H, Cohen G, Flacke W. Haemodynamic effects of verapamil administration after large doses of fentanyl in man, 138
 Katz J, see Mayhew JF, jt. auth.
 Katz JM, Abou-Madi M, Abou-Madi N, Trop D. Do mannitol-induced haemodynamic responses influence its effect on intracranial pressure? A study in the dog with and without induced intracranial hypertension (abst.), S81
 Karlick S, see Fuller J, jt. auth.
 Kay JC, see Byrick RJ, jt. auth.
 – see Noble WH, jt. auth.
 Kehler CH. Evolution of patient care in the early post-operative period (editorial), 269
 – see Kozody R, jt. auth.
 – see Mensick FJ, jt. auth.
 Kettyls GD, see Malm DN, jt. auth.
 Kinley CE, see O'Brien DJ, jt. auth.
- Kim JHK, see Douglas MJ, jt. auth.
 – see McMorland GH, jt. auth.
 Kirkpatrick AF, see Barabas E, jt. auth.
 Kitts JB, Veillieux LJ, McBurney R, Martineau R. Effects of succinylcholine on residual non-depolarizing neuromuscular blockade (abst.), S75
 Klein J, see Crean P, jt. auth.
 Kleopoulos N, see Casthely PA, jt. auth.
 Klinck JR, see Burrows FA, jt. auth.
 Knill RL. Relationship of transcutaneous PO₂ to arterial PO₂ (correspondence – reply), 109
 – see Moote CA, jt. auth.
 Koch JP, see Bertram SG, jt. auth.
 Kozody R, Kehler CH, Duke PC, Parrott DJ, Palahniuk RJ, Wade JG. The effect of thoracic aortic occlusion on the canine cerebral circulation (abst.), S95
 – see Bedder MD, jt. auth.
 – see Mensick FJ, jt. auth.
 Krishnan A, see Moseley HSL, jt. auth.
 Kumar V, see Forbes RB, jt. auth.
 Kushins L, see Fyman PN, jt. auth.
 Kuwahara BS, see Bautista MJ, jt. auth.
- Labrecque P, Archer DP, Tyler J, Meyer E, Trop D. The effects of isoflurane or nitrous oxide on cerebral blood volume in the dog (abst.), S79
 Lacroix J, see Gauthier N, jt. auth.
 Lahoud J, Donati F, Bevan DR, McCready D. Neostigmine, edrophonium and pyridostigmine as antagonists of deep pancuronium blockade (abst.), S88
 – see Donati F, jt. auth.
 Laishley RS, O'Callaghan AC, Lerman J. Effects of dose and concentration of rectal methohexitone for induction of anaesthesia in children, 427
 – Roy WL. Freeman-Sheldon syndrome: report of three cases and the anaesthetic implications (clinical report), 388
 Lam AM, Gelb AW, Steinberg GK, Manninen PH, Neto AR. Dose low-dose lidocaine have a protective effect in focal cerebral ischaemia (abst.), S93
 – Grace DM, Manninen PH, Diamond C. A double-blind comparison of cimetidine and ranitidine with or without metoclopramide for acid aspiration prophylaxis in morbidly obese patients (abst.), S110
 – Grace DM, Manninen RH, Diamond C. The effects of cimetidine and ranitidine with and without metoclopramide on gastric volume and pH in morbidly obese patients, 773
 – see Brown SC, jt. auth.

- see *Macnab MSP*, jt. auth.
- see *Manninen PH*, jt. auth.
- Lamarche Y, Martin R, Reiher J, Blaise G*. The sleep apnoea syndrome and epidural morphine (clinical report), 231
- see *Gourdeau M*, jt. auth.
- Landow L*. The recovery room in the 1980's (special article), 349
- Lavelle P*, see *McDonald NJ*, jt. auth.
- Lavelle PA*, see *Donati F*, jt. auth.
- Lavery GG, McGalliard JN, Mirakhur RK, Shepherd WFI*. The effects of ataracurium on intraocular pressure during steady state anaesthesia and rapid sequence induction: a comparison with succinylcholine, 437
- Layon J*, see *Bellefleur M*, jt. auth.
- Lear E*, see *Thiagarajah S*, jt. auth.
- Lebrun M*, see *Hardy JF*, jt. auth.
- Leiman BC*, see *Mayhew JF*, jt. auth.
- Lenis S, Abou-Madi M, Archer D, Ravussin P, Trop D*. Comparison of direct blood pressure measurements to the radial and dorsalis pedis arteries during sodium nitroprusside and isoflurane hypotension (abst.), S116
- Lepage Y*, see *Hardy J-F*, jt. auth.
- Lerman J*, see *Bissonnette B*, jt. auth.
- see *Cunliffe M*, jt. auth.
- see *Eustis S*, jt. auth.
- see *Laishley RS*, jt. auth.
- Lewis GW, Catran C*. Malignant hyperthermia: choice of anaesthesia for muscle biopsy (correspondence), 419
- Liberman BA, Skala R*. Atracurium to prevent succinylcholine fasciculations and myalgias (abst.), S90
- Lienhart A*, see *Delva E*, jt. auth.
- Lim C*, see *Freedman J*, jt. auth.
- Lim G, Chung DC*. Increasing carbon dioxide tension during emergence - how safe is your approach? (abst.), S77
- Litak C, Ansley D, Wynands JE, Ralley FE, Fullerton H, Ripley AR, Sami MH*. Incidence of pre-bypass ischaemia during sufentanil/Q₂ pancuronium anaesthesia in patients undergoing coronary artery surgery (abst.), S97
- Liu LMP*, see *Coté CJ*, jt. auth.
- Liu PL, Gatt S, Gugino LD, Mallampati SR, Covino BG*. Esmolol for control of increases in heart rate and blood pressure during tracheal intubation after thiopentone and succinylcholine, 556
- Lockrem J*, see *Amaranath L*, jt. auth.
- Lok P*, see *Gelb AW*, jt. auth.
- Lucero VM*, see *Cunliff M*, jt. auth.
- Lunn JN*. Postoperative complications (correspondence), 533
- McBurney R*, see *Kitts JB*, jt. auth.
- McCammon RL*. Prophylaxis for aspiration pneumonitis: refresher course outline (abst.), S46
- McCarroll SM, Cartwright P, Weeks SK, Donati F*. Warming intravenous fluids and the incidence of shivering during Caesarean sections under epidural anaesthesia (abst.), S72
- see *Donati F*, jt. auth.
- McCready D*, see *Donati F*, jt. auth.
- see *Lahoud J*, jt. auth.
- McDonald NJ, Lavelle P, Harpin RP, Gallacher WN, Baker JP*. Usefulness of the oxygen cost of breathing as an index of weaning ability from mechanical ventilation (abst.), S74
- McGalliard JN*, see *Lavery GG*, jt. auth.
- McGillivray RG, Jann H, Vanker E, Gemmell L, Mahomed AE*. Development of malignant hyperthermia obscured by cardiopulmonary bypass (clinical report), 509
- McKenzie FN*, see *Woodcock TE*, jt. auth.
- McIntyre AJ*, see *O'Brien DJ*, jt. auth.
- McIntyre JWR*. Anaesthesia breathing circuits (continuing medical education), 98
- McKenzie RN*, see *Bertram SG*, jt. auth.
- McLeod ME*, see *Cunliff M*, jt. auth.
- Macleod S*, see *Crean P*, jt. auth.
- McMillan JC*, see *Bennett MJ*, jt. auth.
- McMorland GH, Douglas MJ*. Epidural morphine for postoperative analgesia (correspondence), 115
- *Douglas MJ, Jeffrey WK, Ross PLE, Axelsson JE, Kim JHK, Gambling DR, Robertson K*. Effect of pH-adjustment of bupivacaine on onset and duration of epidural analgesia in parturients, 537
- *Jenkins LC, Douglas MJ*. A survey of obstetric anaesthesia practice in British Columbia, 185
- see *Douglas MJ*, jt. auth.
- Macnab MSP, Lam A, Manninen PH*. Isoflurane-induced hypotension does not cause an increase in catecholamines (abst.), S109
- McNicholas W*, see *Hannon VM*, jt. auth.
- Maggisano R*, see *Bertram SG*, jt. auth.
- Mahomed AE*, see *McGillivray RG*, jt. auth.

- Maillé J-G, Boulanger M, Dyrda I, Tremblay N. Anaesthesia and myocardial infarction (continuing medical education), 808
- Mainprize TC, Maltby JR. Amniotic fluid embolism: a report of four probable cases (clinical report), 382
- Malla DS, see Maltby JR, jt. auth.
- Mallampati SR, see Liu PL, jt. auth.
- Malm DN, Mathias RG, Turnbull KW, Kettyls GD, Jenkins LC. Prevalence of hepatitis B in anaesthesia personnel, 167
- Maloney LL, see Yeager MP, jt. auth.
- Maltby JR, Malla DS, Dangol H. Open drop ether anaesthesia for Caesarean section: a review of 420 cases in Nepal (clinical report), 651
- see Mainprize TC, jt. auth.
- Manninen PH, Lam A, Gelb A, Brown SC. The effect of high-dose mannitol on serum and urine electrolytes and osmolality in neurosurgical patients (abst.), S91
- see Brown SC, jt. auth.
- see Lam AM, jt. auth.
- see Macnab MSP, jt. auth.
- Martin R, see Gourdeau M, jt. auth.
- see Lamarche Y, jt. auth.
- Martineau R, see Kitts JB, jt. auth.
- Marving J, see Chraemmer-Jørgensen B, jt. auth.
- Mathias RG, see Malm DN, jt. auth.
- Mayhew JF, Katz J, Miner M, Leiman BC, Hall ID. Anaesthesia for the achondroplastic dwarf (clinical report), 216
- May KS, see Schnapp M, jt. auth.
- Meatheral R, see Friesen C, jt. auth.
- Meier R, see Chung F, jt. auth.
- Mensink FJ, Kozody R, Kehler CH, Wade JG. Dose-response relationship of clonidine in tetracaine spinal anaesthesia (abst.), S85
- Meyer E, see Labrecque P, jt. auth.
- Michoud MC, Amyot R, Jeanneret-Grosjean A, Couture J. Reflex bronchodilation induced by laryngeal stimulation in humans (abst.), S73
- Milde JH, see Gronert GA, jt. auth.
- Milne B, Cervenka FW, Henderson MB, Westra PJ. Transducer offset by electrocautery resulting in erroneous blood pressure measurement (technical report), 234
- Miner M, see Mayhew JF, jt. auth.
- Minton MD, Stirt JA, Bedford RF. Serum potassium following succinylcholine in patients with brain tumours, 328
- Mirakhor RK. Edrophonium and plasma cholinesterase activity, 588
- see Lavery GG, jt. auth.
- Mitenko PA, see Sitar DS, jt. auth.
- Mitros FA, see Kumar V, jt. auth.
- Moffitt EA, see O'Brien DJ, jt. auth.
- Moodie PF, Craig DB. Experimental design and statistical analysis (special article), 63
- Moore JH, see Goldberg ME, jt. auth.
- Moote CA, Skinner MI, Grace DM, Knill RL. Severe sleep-related hypoxaemia after abdominal surgery in the morbidly obese (abst.), S105
- Moriarty DC, see O'Brien DJ, jt. auth.
- Morison DH, see Smedstad KG, jt. auth.
- Morley-Forster PK. Unintentional hypothermia in the operating room (continuing medical education), 516
- Morris A, see Thomson IR, jt. auth.
- Morrison DL, see Hope CE, jt. auth.
- Moseley H, see Palkar NV, jt. auth.
- Moseley HSL, Shankar KB, Krishnan A. Flow requirements for the Bain breathing circuit during anaesthesia for Caesarean section, 583
- Motokawa K, see Yamashita M, jt. auth.
- Moudgil GC. Anaesthesia and allergic drug reactions: continuing medical education, 400
- Update on anaesthesia and the immune response (refresher course outline), S54
- Mullen B, see Byrick RJ, jt. auth.
- Mundy GL, see Kapsten JE, jt. auth.
- Murkin JM, see Woodcock TE, jt. auth.
- Murphy DA, see O'Brien DJ, jt. auth.
- Nadeau S, Noble WH. Limitations of cardiac output measurements of thermodilution (brief review), 780
- Naguib M, Abdullatif M, Absood GH. The optimal priming dose for atracurium, 453
- Adu-Gyamfi Y, Absood GH, Farag H, Gyasi HK. Epidural ketamine for postoperative analgesia, 16
- Famewo CE, Absood A. Pharmacokinetics of mepivaine in spinal anaesthesia, 162
- Farag H, Ibrahim AEW. Anaesthetic considerations in Klippel-Feil syndrome (clinical report), 66
- Gyasi HK. Antiestrogenic drugs and atracurium — a possible interaction? (correspondence), 682
- Gyasi HK, Abdullatif M, Absood GH. Rapid tracheal intubation with atracurium — a comparison of priming intervals, 150

- see *Abdulatif M*, jt. auth.
- Nadeau S, Noble WH*. Misinterpretation of pressure measurements from the pulmonary artery catheter (review article), 352
- Nadeau SG, Robblee JR*. Divided doses of thiopentone attenuate heart rate changes after intubation (abst.), S83
- Nathan HJ*. Nitrous oxide causes deterioration of myocardial function and blood flow during ischaemia (abst.), S99
- Nigrovic V*. Haemodynamic reactions to succinylcholine – an alternative hypothesis (correspondence – reply), 253
- Nemoto EM*, see *Haigh JD*, jt. auth.
- Neto AR*, see *Lam AM*, jt. auth.
- Nishikawa T, Dohi S, Anzai Y*. Recurrence of bronchial asthma after adrenalectomy for pheochromocytoma (correspondence), 109
- Nixon C*. Endotracheal tube connector fracture – an avoidable hazard (correspondence), 251
- Magnetic resonance imaging (correspondence), 420
- Noble WH, Kay JC*. The effects of dobutamine, nitroprusside, or volume expansion on cardiac output and lung water after CPPV, 48
- see *Nadeau S*, jt. auth.
- Norel EJ*, see *Kapur PA*, jt. auth.
- Norman EA, Sosis M*. Iatrogenic oesophageal perforation due to tracheal or nasogastric intubation (clinical report), 222
- Norrie WC*, see *Kapsten JE*, jt. auth.
- Norton JB*, see *Burrows FA*, jt. auth.
- Noseworthy W*, see *Johnston RG*, jt. auth.
- Nugent M*, see *Blaise G*, jt. auth.
- O'Brien DJ, Moffitt EA, McIntyre AJ, Imrie DD, Kinley CE, Sullivan JA, Murphy DA*. Myocardial metabolism and haemodynamic responses with fentanyl-halothane anaesthesia in hypertensive patients undergoing arterial surgery (abst.), S101
- *Moriarty DC, Hope CE*. The effect of pre-existing beta blockade on potassium flux in patients receiving succinylcholine (abst.), S89
- O'Callaghan AC*, see *Laishley RS*, jt. auth.
- Ong BY, Greengrass R, Bose D, Gregory G, Palahniuk RJ*. Acidemia impairs autoregulation of cerebral blood flow in newborn lambs, 5
- Owen JA*, see *Sitar DS*, jt. auth.
- Oxorn D, Whatley G*. Further improvements in the technique of fiberoptic intubation (correspondence), 824
- Paasuke RT, Davies JM*. Anaesthesia for daycare patients: controversies and concerns (conference report), 644
- Palahniuk RJ*. Survey of obstetric anaesthesia practice in British Columbia (editorial), 123
- see *Bedder MD*, jt. auth.
- see *Biehl, D*, jt. auth.
- see *Kozody R*, jt. auth.
- see *Ong BY*, jt. auth.
- Palkar NV, Moseley H*. Abnormal ECG pattern during battery operation of Mennen model 741 ECG monitor (correspondence), 111
- Parrott DJ*, see *Kozody R*, jt. auth.
- Passuke RT, Brownell AKW*. Amide local anaesthetics and malignant hyperthermia (editorial), 126
- Patel RI*, see *Hannallah RS*, jt. auth.
- Pavan FJ*, see *Chung DC*, jt. auth.
- Peerless SJ*, see *Gelb AW*, jt. auth.
- Pelton DA*, see *Tallmeister A*, jt. auth.
- Pennington J*, see *Samson B*, jt. auth.
- Pinaud M*, see *Bernard JM*, jt. auth.
- Plourde G, Hardy J-F*. Aspiration pneumonia: assessing the risk of regurgitation in the cat, 345
- *Hardy JF, Barry PP, Tardif L*. Decreasing the toxic potential of intravenous regional anaesthesia: Bier's block revisited (abst.), S78
- see *Hardy JF*, jt. auth.
- Pope WDB*, see *Cohen MM*, jt. auth.
- Porter SS, Goldberg JG*. Intraoperative allergic reactions to hydroxyethyl starch: a report of two cases (clinical report), 394
- Poulton TJ*, see *Janson BA*, jt. auth.
- Price J*. Consent for epidural anaesthesia (correspondence), 534
- Pucci WR*, see *Bachman CR*, jt. auth.
- see *Bedder MD*, jt. auth.
- Putnins CL*, see *Friesen RM*, jt. auth.
- Quigley M*, see *Robinson RJS*, jt. auth.
- Rabinovitch M*, see *Burrows FA*, jt. auth.
- Ralley FE, Carli F, Ramsay JG, Wynands JE*. Oxygen consumption and carbon dioxide production in patients following open heart surgery (abst.), S70
- *Harrison L, Wynands JE, Robbins GR, Sami MH, Ripley AR, Fullerton HA*. The role of an ultra-short-acting blocker (esmolol) in patients undergoing coronary artery surgery (abst.), S98
- see *Litak C*, jt. auth.

- Ramsay JG. Does nalbuphine reverse opioid obtunded laryngeal reflexes? (correspondence – reply), 826
- Arvieux CC, Foëx P, Ryder WA, Jones LA. Global and regional myocardial effect of verapamil when added to fentanyl (abst.), S100
- see Ansley DM, jt. auth.
- see Hickey DR, jt. auth.
- see Ralley FE, jt. auth.
- see Robbins R, jt. auth.
- Rasch DK, Browder F, Barr M, Greer D. Anaesthesia for Treacher Collins and Pierre Robin syndromes: a report of three cases (clinical report), 364
- Ravussin P, see Lenis S, jt. auth.
- Rawal N. Single segment combined subarachnoid and epidural block for Caesarean section (correspondence), 254
- Redko V, see Casthely PA, jt. auth.
- Reid SR, Bayliff CD. The comparative efficacy of cimetidine and ranitidine in controlling gastric pH in critically ill patients, 287
- Reiher J, see Lamarche Y, jt. auth.
- Relton JES, see Doyle DJ, jt. auth.
- Resurreccion MA, see Casthely PA, jt. auth.
- Ripley AR, see Litak C, jt. auth.
- see Ralley FE, jt. auth.
- Robbins GR, see Ralley FE, jt. auth.
- Robbins R, Whalley DG, Donati F, Wynands JE, Ramsay JR. Altered pharmacokinetics of Alfentanil (abst.), S103
- Robblee JR, see Nadeau SG, jt. auth.
- Robertson K, see McMorland GH, jt. auth.
- Robinson MB, see Richard JS, jt. auth.
- Robinson RJS, Brister S, Jones E, Quigley M. Epidural meperidine analgesia after cardiac surgery, 550
- Rockoff MA, see Sethna NF, jt. auth.
- Rollins M, see Amaranath L, jt. auth.
- Romppainen J, see Gerber HR, jt. auth.
- Rosen KR, Broadman LM. Anaesthesia for diagnostic muscle biopsy in an infant with Pompe's disease (clinical report), 790
- Rosenbloom A, see Friesen RM, jt. auth.
- see Thomson IR, jt. auth.
- Rosewarne FA. Anaesthesia, atracurium and Duchenne muscular dystrophy (correspondence), 250
- Ross PLE, see Douglas MJ, jt. auth.
- see McMorland GH, jt. auth.
- Roth S, see Coleman P, jt. auth.
- Rousseau E, see Gauthier M, jt. auth.
- Roussos C. Diaphragmatic fatigue and blood flow distribution in shock (refresher course outline), S61
- Roy D. Antiarrhythmic drugs (refresher course outline), S65
- Roy WL, see Bissonnette B, jt. auth.
- see Blaise GA, jt. auth.
- see Laishely RS, jt. auth.
- Rudolf D, see Thiagarajah S, jt. auth.
- Rudow M, Hill AB, Thompson NW, Finch JS. Helium-oxygen mixtures in airway obstruction due to thyroid carcinoma (clinical report), 498
- Ryder WA, see Ramsay JG, jt. auth.
- Sabourin MA, see Sharpe RD, jt. auth.
- Sadoul N, see Delva E, jt. auth.
- Saint-Germain JF, see Bélisle S, jt. auth.
- Sale JP, see Sutherland AD, jt. auth.
- Salmenperä M, see Heinonen J, jt. auth.
- Sami MH, see Litak C, jt. auth.
- see Ralley FE, jt. auth.
- Samson B, Baxter A, Penning J. Does nalbuphine reverse opioid obtunded laryngeal reflexes? (correspondence), 825
- Samson B, see Allen G, jt. auth.
- Sandler AN, Chovaz P, Whiting W. Respiratory depression following epidural morphine (a clinical study), 542
- Savarese JJ. Clinical relaxation: current controversy (refresher course outline), S1
- Schnapp M, Mays KS. Contralateral spread of local anesthetic solutions (Correspondence), 828
- Schwinn W, see Gerber HR, jt. auth.
- Seegobin RD, van Hasselt GL. Aspiration beyond endotracheal cuffs, 273
- Seltzer JL, see Goldberg ME, jt. auth.
- Sethna DH, Starr NJ, Estafanous FG. Cardiovascular effects of non-depolarizing neuromuscular blockers in patients with coronary artery disease, 280
- Sethna NF, Rockoff MA. Cardiac arrest following inhalation induction of anaesthesia in a child with Duchenne's muscular dystrophy (clinical report), 799
- Shankar KB, see Moseley HSL, jt. auth.
- Sharpe RD, Goresky GV, Sabourin MA, Ahuja B. Do epinephrine-containing solutions decrease the risk of using bupivacaine for caudal anaesthesia in children? (abst.), S114
- Sheehan MM, see Tallmeister A, jt. auth.
- Shepherd WFI, see Lavery GG, jt. auth.

- Shustack A, see Johnston RG, jt. auth.
- Sill JC, see Blaise G, jt. auth.
- Sitar DS, Duke PC, Owne JA, Berger L, Mitenko PA.
Kinetic disposition of morphine in young males
after intravenous loading and maintenance infusions,
145
- see Bachman CR, jt. auth.
- Skala R, see Liberman BA, jt. auth.
- Skinner MI, see Moote CA, jt. auth.
- Smedstad KG, Morrison DH. A comparative study of
continuous and intermittent epidural analgesia for
labour and delivery (abst.), S71
- Smelt WLH, de Lange JJ, Booij LHDJ. Capnography
and air embolism (correspondence), 113
- Smith D, see Eustis S, jt. auth.
- Soliman IE, see Hannallah RS, jt. auth.
- Sosis M, see Norman EA, jt. auth.
- Souron R, see Bernard JM, jt. auth.
- Stanley TH, see Wang JM, jt. auth.
- Starr NJ, see Sethna DH, jt. auth.
- Steinberg GK, see Lam AM, jt. auth.
- Stirt JA, see Johns RA, jt. auth.
- see Minton MD, jt. auth.
- Sugimori T. Shortened action of succinylcholine in indi-
viduals with cholinesterase C₃ isozyme, 321
- Sullivan JA, see O'Brien DJ, jt. auth.
- Suomivuori M, see Heinonen J, jt. auth.
- Swerland AD, Sale JP. Fiberoptic awake intubation –
a method of topical anaesthesia and orotracheal
intubation (clinical report), 502
- Symons NL. Capnography and air embolism (correspon-
dence – reply), 115
- Szyfelbein SK, see Coté CJ, jt. auth.
- Tallmeister A, Sheehan MM, Pelton Da. Dental an-
aesthesia for a child with complete amelia (clinical
report), 484
- Tardif L, see Ploudre G, jt. auth.
- Telzlaff JE, Gellman MD. Anaphylactoid reaction to
atracurium (clinical report), 647
- Tétreault L, see Goudreau M, jt. auth.
- Thiagarajah S, Azar I, Lear E, Rudolf D. Effect of
diltiazem-induced hypotension on normal and in-
creased intracranial pressure of cats, 578
- Thompson NW, see Rudow M, jt. auth.
- Thomson IR, Cannon JE, Morris A, Rosenbloom M.
Electrocardiographic ST-segment elevation fol-
lowing myocardial reperfusion (abst.), S102
- Hudson RJ, Torchia M, Rosenbloom M. Serum cate-
cholamine responses to anaesthetic induction with
fentanyl and sufentanil (abst.), S69
- see Friesen RM, jt. auth.
- Tiret L, Desmonts JM, Hattin F, Vourc'h G. Complica-
tions associated with anaesthesia – a prospective
survey in France, 336
- Torchia M, see Thomson IR, jt. auth.
- Tremblay N, see Maillé J-G, jt. auth.
- Tremper KK, Anderson S, Barker SJ. Relationship of
transcutaneous PO₂ to arterial PO₂ (correspon-
dence), 108
- Trop D, see Katz JM, jt. auth.
- see Labrecque P, jt. auth.
- see Lenis S, jt. auth.
- Turnbull KW, see Boulton AJ, jt. auth.
- see Malm DN, jt. auth.
- Tweed WA, see Woodstock TE, jt. auth.
- Tyler J, see Labrecque P, jt. auth.
- Vaillancourt G, see Blanc VF, jt. auth.
- Valle RF, see Dykes MHM, jt. auth.
- Vanker E, see McGillivray RG, jt. auth.
- van Hasselt GL, see Seegobin RD, jt. auth.
- Vanhoutte PM, see Blaise G, jt. auth.
- Vatashsky E, Haskell Y. Effect of nalbuphine on intra-
biliary pressure in the early postoperative period,
433
- Veillieux LJ, see Kitts JB, jt. auth.
- Venkateswaran V. Flexion deformity of metacarpophan-
geal joint following extravasation of thiopen-
tone (correspondence), 827
- Vourc'h G, see Tiret L, jt. auth.
- Waddell JP, see Byrick RJ, jt. auth.
- Wade JG, see Kozody R, jt. auth.
- see Mensink FJ, jt. auth.
- Walsh CM, see Donati F, jt. auth.
- Wang JM, Stanley TH. Duchenne muscular dystrophy
and malignant hyperthermia – two case reports
(clinical report), 492
- Weeks SK, see McCarroll SM, jt. auth.
- Weiler RL, see Ha HC, jt. auth.
- Welch JP, see Coté CJ, jt. auth.
- Westra PJ, see Milne B, jt. auth.
- Whalley DG, see Robbins R, jt. auth.
- Whatley G, see Oxorn D, jt. auth.
- Whiting W, see Sandler AN, jt. auth.

Wilson N, see Boulton AJ, jt. auth.

Wilton NCT, Burn JMB. Delayed vomiting after papavaretum in paediatric outpatient surgery, 741

Wolkenstein C, see Cohen MM, jt. auth.

Woodcock TE, Murkin JM, Farrar JK, Tweed WA, Guiraudon G, McKenzie FN. Isoflurane augments the hypothermia-induced reduction of cerebral metabolic rate during cardiopulmonary bypass (abst.), S82

Wright J, see Freedman J, jt. auth.

Writer WDR. Anaesthetic considerations in high-risk pregnancy (refresher course outline), S16

- Fox GS, Hurtig JB. Epidural morphine for postoperative analgesia (correspondence - reply), 116

Wynands JE, see Ansley D, jt. auth.

- see Hickey DR, jt. auth.

- see Ralley FE, jt. auth.

- see Robbins R, jt. auth.

Yamashita M, Motokawa K, Hirano T. Ketamine induction for a patient with hyperinsulinism treated with oral diazoxide (correspondence), 685

Yarnell R, see Friesen C, jt. auth.

Yeager MP, Coombs DW, Dodge CP, Maloney LL. Effect of cimetidine on biotransformation of enflurane in man, 466

Yip RW, see Boulton AJ, jt. auth.

Zsigmond EK, see Barabas E, jt. auth.

Canadian Anaesthetists' Society Journal

Index of Subjects

VOLUME 33, 1986

Achondroplastic dwarf, see Genetic factors

Acid-base equilibrium, acidemia impairs autoregulation of cerebral blood flow in new born lambs (Ong *et al.*), 5

Acidemia, see Acid-base equilibrium

Adrenoceptor agonists

- clonidine, dose response relationships of, in tetracaine spinal anaesthesia: abst. (Mensink *et al.*), S85
- clonidine, prolongs canine tetracaine spinal anaesthesia (Bedder *et al.*), 591

Age factors, general and spinal anaesthesia in elderly: abst. (Chung and Meier), S118

AIDS, see Immune system

Air embolism, see Embolism

Airway, obstruction, intraoperative in children, diagnosed by expired carbon dioxide monitoring (Côté *et al.*), 315

Allergic reactions, see Complications

Allergy, fentanyl anaphylaxis, during anaesthesia: clinical report (Bennett *et al.*), 75

Alphaprodine, see Analgesics

Amiodarone, see Sympathetic nervous system

Anaesthesia

- and the immune response, up-date: refresher course outline (Moudgil), S54
- cardiovascular, perioperative management of children with pulmonary hypertension: review article (Burrrows *et al.*), 606
- femoral nerve block, for diagnostic muscle biopsy in an infant with Pompe's disease: clinical report (Rosen and Broadman), 790
- dental
 - cyanosis of hands following use of alphaprodine in: clinical report (Fuller), 213
 - in children with complete amelia: clinical report (Tallmeister, Sheehan and Pelton), 484
- effect on renal function, S11
- general, aspiration pneumonia: assessing the risk of regurg, 345
- management of surgical patient: correspondence (Hardy, Guay and Baillargeon), 256

- myocardial infarction and: continuing medical education (Maillé *et al.*), 808

- obstetric

- Caesarean section

- epidural, effect of epinephrine on epidural morphine-induced pruritis (Douglas *et al.*), 737
- epidural, warming intravenous fluids and incidence of shivering during: abst. (McCarroll *et al.*), S72
- flow requirements for the Bain breathing circuit, during (Moseley, Shankar and Kirshnan), 583
- open drop ether anaesthesia for, in Nepal: clinical report (Maltby, Malla and Dangol), 651
- single segment combined subarachnoid and epidural block for: correspondence (Rawal), 254
- continuing medical education (Biehl and Palahniuk), 238
- complicated by amniotic fluid embolism: clinical report (Mainprize and Maltby), 382
- effect of lidocaine on regional blood flows and cardiac output in stressed and non-stressed foetal lamb (Friesen *et al.*), 130
- epidural, continuous and intermittent analgesia compared: abst. (Smedstad and Morison), S71
- epidural, effect of pH-adjustment of bupivacaine on onset and duration of (McMorland *et al.*), 537
- in high risk pregnancy: refresher course outline (Writer), S16
- management of malignant hyperthermia susceptible parturient: clinical research (Douglas and McMorland), 371
- survey of, in British Columbia (McMorland, Jenkins and Douglas), 185
- survey of practice in British Columbia: editorial (Palahniuk), 123
- monitoring equipment selection: continuing medical education (Hope and Morrison), 670
- ophthalmic, intraocular pressure physiology and implications for: review article (Cunningham and Barry), 195

- outcome after: editorial (Davies), 265
- outpatient, for day-care patients: conference report, 645
- *paediatric*
 - bupivacaine for outpatient surgery: abst. (Kapsten *et al.*), S114
 - bupivacaine for, value of epinephrine-containing solution to decrease risk: abst. (Sharpe *et al.*), S114
 - cardiovascular, perioperative management of children with pulmonary hypertension: review article (Burrows *et al.*), 606
 - d-tubocurarine priming in: abst. (Baxter *et al.*), S86
 - Duchenne muscular dystrophy and malignant hyperthermia: clinical report (Wang and Stanley), 492
 - end-tidal gas sampling and arterial values of PCO₂ compared, to assess usefulness of end-tidal gas sampling in: abst. (Bissonnette and Lerman), S76
 - for diagnostic muscle biopsy in infant with Pompe's disease (Rosen and Broadman), 790
 - for the achondroplastic dwarf: clinical report (Mayhew *et al.*), 216
 - in a child with dermatomyositis: clinical report (Johns, Finholt and Stirt), 71
 - in Klippel-Feil syndrome: clinical report (Naguib, Farag and Ibrahim), 66
 - induction of, effects of dose and concentration of rectal methohexitone for (Laishley, O'Callaghan and Lerman), 427
 - intraoperative events diagnosed by expired carbon dioxide monitoring during (Coté *et al.*), 315
 - nausea and vomiting after strabismus surgery in preschool children (Hardy *et al.*), 57
 - neuromuscular blockade for rapid tracheal intubation: succinylcholine and pancuronium compared (Cunliff *et al.*), 760
 - newborn, pharmacological considerations: refresher course outline (Cook), S38
 - nitrous oxide, negative pressure in the middle ear after (Blackstock and Gettes), 32
 - oxygen need in, correlated with recovery scores: abst. (Hannallah *et al.*), S111
 - spinal for minor surgery: clinical report (Blaise and Roy), 227
 - succinylcholine, fasciculations and myoglobinaemia in (Blanc, Vaillancourt and Brisson), 178
- see also: Anaesthetic techniques, Anaesthetics, Complications, Equipment, Induction, Records, Recovery, Surgery*
- Anaesthesiologists, prevalence of hepatitis in (Malm *et al.*), 167
- Anaesthetic techniques
 - *epidural*
 - consent for: correspondence (Price), 534
 - for Caesarean section, warming intravenous fluids and incidence of shivering: abst. (McCarroll), S72
 - for labour and delivery: abst. (Smedstad and Morrison), S71
 - for total hip replacement in patient with dilated cardiomyopathy: clinical report (Amaranath *et al.*), 84
 - in pre-eclampsia, S19
 - ketamine for postoperative analgesia (Naguib *et al.*), 16
 - morphine and sleep apnoea syndrome: clinical report (Lamarche *et al.*), 231
 - respiratory depression following (Sandler, Chovaz and Whiting), 542
 - fiberoptic awake intubation, a method of topical anaesthesia and orotracheal intubation: clinical report (Sutherland and Sate), 502
 - for thoracic surgery: recent advances: refresher course outline (Benumof), S28
 - *hypotension induced*
 - diltiazem and nitroprusside compared during fentanyl anaesthesia for total hip arthroplasty (Bernard *et al.*), 308
 - nitroprusside and diltiazem compared during fentanyl anaesthesia for total hip arthroplasty (Bernard *et al.*), 308
 - nitroprusside and isoflurane induced, blood pressure measurements at radial and dorsalis pedis artery compared: abst. (Lenis *et al.*), S116
 - isoflurane induced, effect on catecholamines: abst. (Macnab *et al.*), S109
 - hypothermia-induced reduction of cerebral metabolic rate during cardiopulmonary bypass, further reduction by use of isoflurane: abst. (Woodcock *et al.*), S82
 - induction of anaesthesia, rapid sequence and elective compared, effect on left ventricular ejection fraction during (Chraemmer-Jørgensen), 754
 - one-lung endobronchial ventilation in thoracic anaesthesia, perioperative transcutaneous oxygen monitoring (Chubra-Smith, Grant and Jenkins), 745
 - rapid sequence induction and steady state, effect of atracurium and succinylcholine compared on intraocular pressure during (Lavery *et al.*), 437

- regional
 - block, Bier's, technique for decreasing the toxic potential of intravenous local anaesthetic agent: abst. (Plourde *et al.*), S78
 - blockade
 - deep pancuronium, neostigmine, edrophonium and pyridostigmine as antagonists of: abst. (Lahoud *et al.*), S88
 - epidural and subarachnoid combined for Caesarean section: correspondence (Rawal), 254
 - neuromuscular
 - priming technique: refresher course outline (Savarese), S1
 - prolonged with atracurium: clinical report (Bizzarri-Schmid and Desai), 209; correspondence (Naguib and Syasi), 682; correspondence - reply (Bizzarri-Schmid and Desai), 684
 - onset of pancuronium and d-tubocurarine blockade with priming (Donati *et al.*), 571
 - potentiation of atracurium by pancuronium and d-tubocurarine (Gerber, Romppainen and Schwinn), 563
 - residual non-depolarizing, effects of succinylcholine on: abst. (Kitts *et al.*), S75
 - spinal
 - for minor paediatric surgery: clinical report (Blasie and Roy), 227
 - or general in the elderly: abst. (Chung and Meier), S118
 - pharmacokinetics of meperidine (Naguib, Famewo and Absood), 162
 - tetracaine, dose-response relationship of clonidine in prolonging: abst. (Mensink *et al.*), S85
 - tetracaine, clonidine prolongs canine (Bedder *et al.*), 591
 - stellate ganglion block, contralateral Horner's syndrome following: correspondence (Allen and Samson), 112; (Schnapp and Mays), 828: reply (Allen and Samson), 829
 - subarachnoid block, clonidine in spinal tetracaine anaesthesia (Bedder *et al.*), 591
 - two-lung endotracheal ventilation (Chubra-Smith, Grant and Jenkins), 745
- Anaesthetics, drugs inducing allergic reactions, 406: *see also* names of specific drugs; drugs
- Anaesthetics, gases
 - nitrous oxide
 - causes deterioration of myocardial function and blood flow during ischaemia: abst. (Nathan), S99
 - effect on cerebral blood volume in the dog: abst. (Labrecque *et al.*), S79
 - in children, negative pressure in the middle ear after (Blackstock and Gettes), 32
- Anaesthetics, Intravenous
 - alfentanil, altered pharmacokinetics of: abst. (Robbins *et al.*), S103
 - diprivan versus thiopentone for outpatient surgery: abst. (Johnston *et al.*), S106
 - droperidol
 - incidence of nausea and vomiting after use, following strabismus surgery in preschool children (Hardy *et al.*), 57
 - pretreatment in children undergoing strabismus repair: abst. (Eustis *et al.*), S115
 - fentanyl
 - anaesthetic induction with, serum catecholamine responses to: abst. (Thomson *et al.*), S69
 - anaphylactoid reaction to: correspondence (Fukuda and Dohi), 826
 - cardiovascular effects in coronary patients also given neuromuscular relaxants (Sethna, Starr and Estafanous), 280
 - effect on canine coronary arterial smooth muscle: abst. (Blaise *et al.*), S104
 - for abdominal aortic surgery (Friesen *et al.*), 719
 - for total hip arthroplasty: hypotensive action of diltiazem and nitroprusside compared during (Bernard), 308
 - global and regional, myocardial effect of verapamil when added to: abst. (Ramsay *et al.*), S100
 - haemodynamic effects of verapamil administered after large doses of (Kapur *et al.*), 138
 - high dose, role of pancuronium, vecuronium and atracurium on haemodynamic responses to (Heinonen, Salmenpera and Suomivuori), 597
 - halothane, in hypertensive patients undergoing coronary artery surgery, myocardial metabolism and haemodynamic responses with: abst. (O'Brien *et al.*), S101
 - in newborn, S39
 - oxygen versus fentanyl-N₂O oxygen, in children undergoing cardiac surgery (Crean *et al.*), 36
 - ketamine
 - cardiovascular and respiratory effects of, in the neonatal lamb (Burrown, Norton and Fewel), 10
 - epidural, for postoperative analgesia (Naguib *et al.*), 16
 - for diagnostic muscle biopsy in infant with Pom-

- pe's disease: clinical report (Rosen and Broadman), 790
 - in newborn, S39
 - induction for a patient with hyperinsulinism treated with oral diazoxide: correspondence (Yamashita, Motokawa and Hirano), 685
 - *methohexitone*
 - rectal, administration of 2% or 10%, plasma levels and mucosal damage following: abst. (Forbes *et al.*), S107
 - rectal, effects of dose concentrations for induction of anaesthesia in children (Laishley, O'Callaghan and Lerman), 427
 - *sufentanil*
 - induction of anaesthesia with, serum catecholamine responses to: abst. (Thomson *et al.*), S69
 - with pancuronium for CABG, (coronary artery bypass graft) incidence of pre-bypass ischaemia during: abst. (Litak *et al.*), S97
 - *thiopentone*
 - divided doses of, attenuates heart rate changes during intubation: abst. (Nadeau and Robblee), S83
 - does not protect against prolonged focal cerebral ischaemia (Gelb *et al.*), 173
 - flexion deformity of metacarpophalangeal joint following: correspondence (Venkateswaran), 827
 - versus diprivan for out-patient surgery: abst. (Johnston *et al.*), S106
- Anaesthetics, Local
- amide local anaesthetics and malignant hyperthermia: editorial (Paashuke and Brownell), 126
 - *bupivacaine*
 - effect of pH-adjustment of, on onset and duration of epidural analgesia in parturients (McMorland), 537
 - in minor paediatric surgery: clinical report (Blaise and Roy), 227
 - optimum concentration, for caudal analgesia in out-patient surgery in children: abst. (Kapsten *et al.*), S114
 - risk reduction in caudal anaesthesia in children, effect of epinephrine-containing solution on: abst. (Sharpe *et al.*), S114
 - contralateral spread of solutions: correspondence (Schnapp and Mays), 828; reply (Allen and Samson), 829
 - *lidocaine*
 - effect on regional blood flow and cardiac output in the non-stressed and stressed foetal lamb (Friesen *et al.*), 130

- protective effect of dosage in focal cerebral ischaemia: abst. (Lam *et al.*), S93
- meperidine, in spinal anaesthesia, pharmacokinetics of (Naguib, Famewo and Absood), 162
- recent advances: Refresher course outline (Covino), S5
- *tetracaine*
 - in minor paediatric surgery: clinical report (Blaise and Roy), 227
 - prolongs canine spinal anaesthesia (Bedder *et al.*), 591
 - spinal anaesthesia, dose-response relationship of clonidine in prolonging: abst. (Mensink *et al.*), S85

Anaesthetics, Volatile

- combinations, effects studied at a cellular level, using an isolated neuron preparation: abst. (Coleman and Roth), S108
- diethylether for Caesarean section in Nepal: clinical report (Maltby, Malla and Dangol), 651
- *halothane*
 - and innovar, influence on brain oedema formation: abst. (Fuller *et al.*), S110
 - and isoflurane compared, effect on myocardial ischaemia/reperfusion injury (Dolman and Godin), 443
- *isoflurane*
 - augments the hypothermia-reduced reduction of cerebral metabolic rate during cardiopulmonary bypass: abst. (Woodcock *et al.*), S82
 - effect on cerebral blood volume in the dog: abst. (Labrecque *et al.*), S79
 - halothane, comparative effects on myocardial ischaemic/refusion injury (Dolman and Godin), 443
 - monitoring of somatosensory-evoked potentials during: abst. (Brown *et al.*), S80
 - potency and cardiovascular effects during short exposures in the foetal lamb (Bachman *et al.*), 41

Analgesia

- post-operative, epidural ketamine for (Naguib *et al.*), 16

Analgesics

- alfentanil, haemodynamic and plasma vasopressin responses during (Boulton *et al.*), 475
- alphaprodine in dental anaesthesia, cyanosis of hands following: clinical report (Fuller), 213
- atracurium, anaesthesia and Duchenne muscular dystrophy: correspondence (Rosenwarne), 250
- fentanyl: anaphylactic reaction to, during anaesthesia: clinical report (Bennett *et al.*), 75

- meperidine, epidural, after cardiac surgery (Robinson *et al.*), 550
- *morphine*
 - epidural and sleep apnoea syndrome: clinical report (Lamarche *et al.*), 231
 - epidural, for postoperative: correspondence (McMorland and Douglas), 115; reply (Writer, Fox and Hurtig), 116
 - respiratory depression following (Sandler, Chovaz and Whiting), 542
 - kinetic disposition of, in young males after intravenous loading and maintenance infusion (Sitar *et al.*), 145
- nalbuphine, effect of, on intrabiliary pressure in the early post-operative period (Vatashkey and Has-kel), 433
- opium, vomiting, delayed after papavaretum in paediatric outpatient surgery (Wilton and Burn), 741
- sufentanil, haemodynamic and plasma vasopressin responses during (Boulton *et al.*), 475
- Antagonists, Narcotic: nalbuphine, does it reverse opioid obtunded laryngeal reflexes?: correspondence (Samson *et al.*), 825; reply (Ramsay), 826
- Antagonists, Neuromuscular
 - *edrophonium*
 - neostigmine, pyridostigmine, and plasma cholinesterase activity (Mirakhur), 588
 - neostigmine, pyridostigmine, as antagonists of deep pancuronium blockade: abst. (Lahoud *et al.*), S88
 - neostigmine, pyridostigmine, dose response relationships for, as antagonists of pancuronium and d-tubocurarine: abst. (Donati *et al.*), S87
 - divided doses of, to accelerate reversal of atracurium blockade (Abdulatif and Naguib), 723
- Antiarrhythmics, see Heart, Arrhythmias
- Aorta, see Arteries
- Arterial/alveolar oxygen tension ratio (a APO₂ pulmonary shunt, influence on (Doyle), 471
- Arteries
 - *Aorta*
 - cross-clamping for thoraco-abdominal surgery, haemodynamic and metabolic changes after: abst. (Bertram *et al.*), S68
 - effect of thoracic aortic occlusion on canine cerebral circulation: abst. (Kozody *et al.*), S95
 - radial and dorsalis pedis, measurement of blood pressure at, during nitroprusside and isoflurane hypotension: abst. (Lenis *et al.*), S116
- Arthroplasty, see Surgery, Orthopaedic
- Aspiration, see Complications
- Asthma, see Complications, bronchial; Lung
- Ataractics, phenothiazines, chlorpromazine (vasodilator therapy), in perioperative period: review article (Fyman *et al.*), 639
- Atracurium, see Neuromuscular relaxants
- Beta blockers, see Sympathetic nervous system
- Biochemistry
 - ionic compositional changes, effects of anaesthetic on influencing extent of myocardial injury (Dolman and Godin), 443
 - subcellular enzyme alteration, effects of anaesthetic on influencing the extent of myocardial injury (Dolman and Godin), 443
- Biotransformation, enflurane, effect of cimetidine on (Yeager *et al.*), 466
- Block, nerve, see Anaesthetic techniques, regional
- Blood
 - blood group antibodies, use of, in transfusion practice (Freedman, Lim and Wright)
 - *flow*
 - diaphragmatic fatigue and, distribution in shock: refresher course outline (Roussos), S61
 - during ischaemia, nitrous oxide causes deterioration of: abst. (Nathan), S99
 - haemodynamic effects of high-dose mannitol: abst. (Brown *et al.*), S92
 - loss, in operating room: correspondence (Ha and Weiler), 685
 - plasma levels and mucosal damage following rectal administration of 2% or 10% methohexitone in rats: abst. (Forbes *et al.*), S107
 - *pressure*
 - diazoxide, oral, in treatment of hyperinsulism, ketamine induction in a patient using: correspondence (Yamishita, Motokawa and Hirano), 685
 - drug effects, calcium channel blockers, diltiazem, sodium nitroprusside (Bernard *et al.*), 308
 - drug effects, vasopressin responses during fentanyl or sufentanil anaesthesia (Boulton *et al.*), 475
 - effect of rapid-sequence induction of anaesthesia versus elective induction on (Chraemmer-Jørgensen *et al.*), 755
 - increase in, during tracheal intubation using thiopentone and succinylcholine, esmolol for control of (Liu *et al.*), 556
 - measurement techniques at radial and dorsalis pedis arteries compared during nitroprusside and isoflurane induced hypotension: abst. (Lenis *et al.*), S116

- serum potassium following succinylcholine in patients with brain tumours (Minton, Stirt and Bedford), 328
 - supply, see Transfusion
 - transfusion, see Transfusion
- Book Reviews
- *Advances in pain research and therapy*, Vol. 9, by HL Fields, R Dubner, F Cernero (Wyant), 416
 - *Aids to anaesthesia*, 2nd ed. by MJ Harrison, TEJ Hall and JA Thornton (1) Basic Sciences, (2) Clinical Practice (Reimer), 107
 - *Anaesthesia: essays on its history*, edited by J Ruppreht *et al.* (Maltby), 530
 - *Anaesthesia*, 2nd ed, edited by RD Miller (Palahniuk), 529
 - *Anesthesia in obstetrics. Maternal, fetal and neonatal aspects*, 2nd ed, by GA Albright *et al.* (Douglas), 680
 - *Anesthésis loco-régionale*, by L Lecron (Martin), 681
 - *Anaesthetic management: a rule-based guide*, by MJ Harrison, RM Jones and BJ Pollard (Mezon), 531
 - *Care of the postoperative surgical patient*, by JAR Smith and J Watkins (Ali), 106
 - *Classical anaesthesia files*, by DM Little, Jr. (Maltby), 417
 - *Current topics in anesthesia series, Neonatal anaesthesia and perioperative care*, 2nd ed. by DJ Hatch and E Summer (Bevan), 822
 - *Decision making in critical care*, by H Don (Roberts), 532
 - *Difficulties in tracheal intubation*, ed. by IP Latto and M Rosen (Poon), 680
 - *Disorders of fluid and electrolyte balance: Diagnosis and management*, edited by JB Puschett (Leighton), 822
 - *Effects of anesthesia*, ed. by BG Covino, HA Fozzard, RG Strichartz (McIntyre), 246
 - *Gas mixing and distribution in the lung*, ed. by LA Engel and M Paiva (Breen), 106
 - *Goodman and Gilman's "The pharmacological basis of therapeutics,"* ed. by AG Gilman, LS Goodman, TW Rall (Carmichael), 248
 - *Handbook of physiology - the respiratory system: Circulation and nonrespiratory functions*, ed. by AP Fishman and AB Fisher (Breen), 823
 - *Intensive care manual*, 2nd ed. by TH Oh (Byrick), 107
 - *Obstetric anaesthesia and analgesia*, by DD Moir and J Thorburn (Swartz), 821
 - *Obstetric analgesia and anaesthesia*, 2nd ed., by JS Crawford (Halpern), 246
 - *Major issues in critical care medicine*, ed. by JE Parillo, SM Ayres (Lee), 680
 - *Manual of regional anaesthesia: techniques and clinical applications*, by H Carron, GA Horbon, JS Wowlingson (Houle), 247
 - *Microcomputers in critical care: a practical approach*, by JM Dean and FVM Booth (Craven), 531
 - *Monitoring in anesthesia and critical care medicine*, ed. by CD Blitt (Friesen), 416
 - *Muscle relaxants. Basic and clinical aspects*, ed. by RL Katz (Donati), 821
 - *Pain. International perspectives in physical therapy*, ed. TH Michel (Catchlove), 248
 - *Perioperative cardiac dysfunction, vol. III*, ed. by JR Utley (McLean), 530
 - *Précis d'anesthésie loco-régionale*, ed. by P. Gauthier-Lafaye (Trop), 246
 - *A practice of anesthesia for infants and children*, ed. by FJ Ryan *et al.* (Creighton), 529
 - *A primer of water, electrolyte and acid-base syndromes*, ed. by E Goldberger (Leighton), 681
 - *Pulmonary function testing - indication and interpretations: a project of the California Thoracic Society*, ed. by AF Wilson (McCarthy), 418
 - *Pulmonary function testing: principles and practice*, by SA Conrad, GT Kinasewitz, RB George (McCarthy), 417
 - *Textbook of anaesthesia*, ed. by G Smith and AR Aitkenhead (Nugent), 106
- Brain
- cerebral and intracranial perfusion pressures, effect of high frequency versus conventional mechanical ventilation on: abst. (Bellefleur *et al.*), S94
 - cerebral blood flow, effect of lidocaine on, in non-stressed and stressed foetal lamb (Friesen *et al.*), 130
 - cerebral blood flow in newborn lambs, acidemia impairs autoregulation of (Ong *et al.*), 5
 - cerebral blood volume in the dog, effect of isoflurane or nitrous oxide on: abst. (Labrecque *et al.*), S79
 - cerebral circulation, effect of thoracic aortic occlusion on, in dog: abst. (Kozody *et al.*), S95
 - cerebral ischaemia, focal effect of lidocaine on: abst. (Lam *et al.*), S93
 - evoked potentials, monitoring of, during isoflurane and isoflurane - nitrous-oxide anaesthesia: abst. (Brown *et al.*), S80

- infarction, prophylactic bolus of thiopentone does not protect against prolonged focal cerebral ischaemia (Gelb *et al.*), 173
- intracranial hypertension in monkeys, effect of atracurium and succinylcholine on intracranial pressure in (Haigh *et al.*), 421
- intracranial pressure
 - effect of mannitol-induced haemodynamic responses on: abst. (Katz *et al.*), S81
 - in cats, effect of diltiazem-induced hypotension on normal and increased (Thiagarajah), 579
 - in monkeys with intracranial hypertension, effect of succinylcholine and atracurium on (Haigh *et al.*), 421
- intracranial tumours, serum potassium following succinylcholine in patients with (Minton, Stirt and Bedford), 328
- oedema, influence of halothane and innovar on: abst. (Fuller *et al.*), S110
- Breathing system, see Equipment, circuits
- Bretylium, see Sympathetic nervous system
- Bupivacaine, see Anaesthetics, Local
- CPR, see Ventilation, artificial
- Calcium entry blockers
 - in treatment of cardiac dysfunction in perioperative period: review article (Fyman *et al.*), 636
 - verapamil, anti-arrhythmic effects, S67
 - verapamil, global and regional, myocardial effect of when added to fentanyl: abst. (Ramsay *et al.*), S100
- Canadian Anaesthetists' Society, see Organizations
- Cannulation, see Veins
- Carbon dioxide
 - measurement
 - expired, in children, intraoperative events diagnosed by (Coté *et al.*), 315
 - tension in children, intraoperative events diagnosed by (Coté *et al.*), 315
 - production, following heart surgery: abst. (Ralley *et al.*), S70
 - tension, increasing during emergence: abst. (Lim and Chung), S77
- Cardiac, see Heart, Surgery
- Cardiac arrest, see Complications, arrest
- Cardiac output, see Heart
- Cardiovascular agents, see Heart
- Cardiovascular system, see Heart
- Catecholamines, see Sympathetic nervous system
- Catheters, see Equipment
- Cerebral, see Brain
- Cerebrospinal fluid, osmolality in neurosurgical patient, effect of high-dose mannitol on: abst. (Manninen *et al.*), S91
- Cholinesterase, see Enzymes
- Cimetidine, see Gastrointestinal tract; Histamine-2-receptor antagonists
- Clonidine, see Adrenoceptor agonists
- Complications
 - air embolism, during liver resection: clinical report (Delva *et al.*), 488
 - airway
 - abscess, airway management by awake fiberoptic intubation: clinical report (Sutherland and Sale), 502
 - obstruction, associated with Treacher Collins and Pierre Robin syndromes: clinical report (Rasch *et al.*), 364
 - obstruction, due to thyroid carcinoma, helium oxygen mixtures in: clinical report (Rudow *et al.*), 498
 - allergic drug reaction during anaesthesia: continuing medical education (Moudgil), 400
 - allergic reaction to hydroxyethyl starch: clinical report (Porter and Goldberg), 394
 - amniotic fluid embolism: clinical report (Mainprize and Maltby), 382
 - anaesthetic, due to anaesthesia, in France (Tiret *et al.*), 336
 - anaphylactoid reaction to atracurium: clinical report (Tetzlaff and Gellman), 647
 - anaphylactoid reaction to fentanyl: correspondence or preservative: correspondence (Fukeda and Dohi), 826
 - arrest, cardiac
 - complicating anaesthesia in children with Duchenne muscular dystrophy: clinical report (Wang and Stanley), 492
 - following inhalation induction of anaesthesia in a child with Duchenne muscular dystrophy (Sethna and Rockoff), 799
 - aspiration
 - around endotracheal tubes, value of PEEP to reduce incidence of (Janson and Poulton), 157
 - beyond endotracheal cuffs (Seegobin and Van Hasselt), 273
 - effect of cimetidine and ranitidine with and without metoclopramide for, in morbidly obese patients (Lam), 773

- pneumonitis and coma - an unusual presentation of dystrophica myotonia (Hannon *et al.*), 803
- pneumonitis: assessing risk of regurgitation in the cat (Plourde and Hardy), 345
- pneumonitis, prophylaxis for: refresher course outline (McCammon), S47
- bronchial asthma, after adrenalectomy for pheochromocytoma: correspondence (Nishikawa *et al.*), 109
- cardiac arrhythmias during general anaesthesia in a seven year-old patient with mitral valve prolapse (Casthely *et al.*), 795
- consequence versus subsequence: outcome after anaesthesia: editorial (Davies), 265
- *cor pulmonale*
 - associated with Treacher Collins and Pierre Robin syndromes: clinical report (Rasch *et al.*), 364
 - problems for the anaesthetists in cases of Treacher Collins and Pierre Robin syndromes: clinical report (Rasch *et al.*), 364
- cyanosis of the hands following alphaprodine in dental anaesthesia: clinical report (Fuller), 213
- dermatomyositis, anaesthetic management of a child with: clinical report (Johns, Finholt and Stirt), 71
- diabetes in pregnancy, anaesthetic management of, S21
- *Duchenne's muscular dystrophy*
 - anaesthesia, atracurium and: correspondence (Rosenwarne), 250
 - cardiac arrest following inhalation induction of anaesthesia in a child with (Sethna and Rockoff), 799
- fistula, tracheoesophageal repair, transcutaneous oxygen monitoring during: clinical report (Bautista, Kuwahara and Henderson), 505
- Freeman-Sheldon, syndrome, anaesthetic implications of: clinical report (Laishley and Roy), 388
- haemodynamic reactions to succinylcholine: correspondence (Baraka), 252; reply (Nigrovic), 253
- Horner's syndrome following stellate ganglion block: correspondence (Allen and Samson), 112
- hydropneumothorax following lung lavage: clinical report (Hudes, Bradley and Brebner), 662
- hyperinsulinism treated with diazoxide, ketamine induction for: correspondence (Yamashita, Motokawa and Hirano), 685
- *hyperkalaemia*
 - complicating anaesthesia in children with Duchenne muscular dystrophy: clinical report (Wang and Stanley), 492
- following intravenous hydrazine and propranolol therapy, post-embolectomy: clinical report (Hickey *et al.*), 379
- *hypertension*
 - during high dose fentanyl and sufentanil (Boulton *et al.*), 475
 - during tracheal intubation, esmolol for control (Liu *et al.*), 556
 - in patients undergoing coronary artery surgery, role of fentanyl-halothane anaesthesia in management of: abst. (O'Brien *et al.*), S101
 - pulmonary, in children, perioperative management: review article (Burrows *et al.*), 606
- hypotension, anaphylactic reaction during anaesthesia associated with positive intradermal skin test to fentanyl: clinical report (Bennett *et al.*), 75
- iatrogenic rupture of the oesophagus: clinical report (Norman and Sosis), 222
- intraoperative, diagnosed by expired carbon dioxide monitoring in children (Cote *et al.*), 315
- Kippel-Feil syndrome, anaesthetic considerations in: clinical report (Naguib, Farag and Ibrahim), 66
- metacarpopharangeal joint deformity following extravasation of thiopentone: correspondence (Venkateswaran), 827
- *Obesity*
 - abdominal surgery in: sleep-related hypoxaemia: abst. (Moote), S105
 - acid aspiration prophylaxis in: abst. (Lam *et al.*), S110
 - effects of cimetidine and ranitidine with and without metoclopramide on gastric volume and pH in cases of (Lam *et al.*), 773
- oesophageal perforation due to nasogastric and tracheal intubation: clinical report (Norman and Sosis), 222
- Pierre Robin syndrome, anaesthesia for: clinical report (Rasch *et al.*), 364
- postoperative anaesthetic, survey of 112,000 anaesthetics at one teaching hospital (Cohen *et al.*), 22; correspondence (Lunn), 533; reply (Cohen *et al.*), 533
- pre-eclampsia, anaesthetic considerations in cases of: refresher course outline (Writer), S12
- preoperative anaemia in Nepal, anaesthetic considerations for Caesarean section: clinical report (Malla and Dangol), 65
- pruritus, epidural morphine-induced, effect of epinephrine in local anaesthetic on (Douglas *et al.*), 737

- pulmonary embolism, anaesthetic technique for transvenous pulmonary embolectomy: clinical report (Goldberg *et al.*), 79
 - respiratory depression following epidural morphine (Sandler, Chovaz and Whiting), 542
 - rhabdomyolytic renal failure due to succinylcholine, prophylaxis of (Blanc, Vaillancourt and Brisson), 178
 - sleep apnoea syndrome and epidural morphine: clinical report (Lamarche *et al.*), 231
 - tachycardia during tracheal intubation, esmolol for control (Liu *et al.*), 556
 - Treacher Collins syndrome, anaesthesia for: clinical report (Rasch *et al.*), 364
 - venous perforation due to percutaneous central venous cannulation: correspondence (Barra, Dru and Freffe), 255
- Congenital anomalies, see Genetic factors
- Cyanosis, see Complications
- Dantrolene, see Hyperthermia
- Dental anaesthesia, see Anaesthesia, Dental
- Diabetes, see Complications
- Diagnosis, magnetic resonance imaging: correspondence (Nixon), 426
- Diazoxide, see Blood Pressure
- Diltiazem, see under Anaesthetic techniques, hypotension induced
- Diprivan, see Anaesthetics, intravenous
- Disopyramide, see Heart, arrhythmias
- Dobutamine, see Sympathetic nervous system
- Drugs: see also Analgesics, Anaesthetics, Interactions, Pharmacology
- *interactions*
 - cimetidine, effect on biotransformation of enflurane in man (Yeager *et al.*), 466
 - pancuronium and d-tubocurarine priming, effect on blockade onset (Donati *et al.*), 571
 - prophylaxis of aspiration pneumonia: refresher course outline (McCammon), S47
- D-tubocurarine, see Neuromuscular relaxants
- Duchenne muscular dystrophy, see Complications
- Ear, middle, negative pressure in children after nitrous oxide anaesthesia (Blackstock and Gettes), 32
- Edrophonium, see Antagonists, Neuromuscular relaxants
- Electrocardiography, see Heart
- Electrocautery, see Equipment
- Embolism, air, capnography and: correspondence (Smelt *et al.*), 113
- Emergence, see Recovery
- Encainide, see Heart, arrhythmias
- Endotracheal cuffs, see under Equipment
- Endotracheal tubes, see also under Equipment
- extubation, role in reversal of opioid obtunded laryngeal reflexes: correspondence (Samson *et al.*), 825; reply (Ramsay), 826
- Enzymes
- cholinesterase C₅ isozyme, shortened action of succinylcholine in individuals with (Sugimore), 321
 - *plasma cholinesterase*
 - absence of, in a patient, multiple neuromuscular blocking agents and reversal in: clinical report (Dykes *et al.*), 657
 - activity and edrophonium (Mirakur), 588
 - inhibitory effect of esmolol on (Barabas *et al.*), 332
- Epidemiology: anaesthesia, complications - a survey in France (Tiret *et al.*), 336
- Epidural anaesthesia, see Anaesthetic techniques, Epidural
- Epinephrine, see Sympathetic nervous system, catecholamines
- Equipment
- airway intubator, fiberoptic bronchoscope for awake intubation: clinical report (Sutherland and Sale), 502
 - *anaesthetic breathing systems*
 - Bain, compared with Humphrey A.D.E. system (Humphrey *et al.*), 698, 710
 - Bain, flow requirements during anaesthesia for Caesarean section (Moseley, Shankar and Krishnam), 583
 - Humphrey A.D.E. system: editorial (Byrick and Rose), 694
 - Humphrey A.D.E. system, compared with Bain, Magill and Mapleson: (Humphrey *et al.*), 698
 - in controlled breathing, comparison of low-flow single lever Humphrey system with Bain system (Humphrey *et al.*), 710
 - in spontaneously breathing adults, Humphrey A.D.E. low flow single lever system compared with dual lever A.D.E., Bain and Magill systems (Humphrey *et al.*), 698
 - Magill system compared with Humphrey A.D.E. system (Humphrey *et al.*), 698; 710
 - Mapleson system compared with Humphrey A.D.E. system (Humphrey *et al.*), 698; 710
 - will there ever be a universal one? Editorial (Byrick and Rose), 694

– *catheters*

- pulmonary artery, misinterpretation of pressure measurements from: review article (Nadeau and Noble), 352
 - pulmonary artery, pre-operative assessment of need in coronary artery surgery: abst. (Ansley *et al.*), S70
 - *circuits, anaesthetic*
 - breathing: continuing medical education (McIntyre), 198
 - intraoperative failures diagnosed by expired carbon dioxide monitoring in children (Coté), 315
 - obstruction of fresh gas flow in Ayre's T-piece: correspondence (Bissonnette and Roy), 535
 - T-piece, high pressure alarm for detection of obstruction of fresh gas line: technical report (Doyle and Relton), 94
 - cuffs, endotracheal, aspiration beyond (Seegobin and van Hasselt), 273
 - electrocautery causing false blood pressure measurement by transducer: technical report (Milne *et al.*), 235
 - gas pipeline connectors, quick mount, failure in a fail-safe device: clinical report (Chung, Hunter and Pavan), 666
 - high pressure alarm for detection of obstruction of fresh gas line in T-piece circuit: technical report (Doyle and Kelton), 94
 - medical devices, adverse experience reporting project: editorial (Cohen), 1
 - Mennen model 741 ECG monitor, abnormal pattern during battery operation: correspondence (Parker and Moseley), 111
 - monitoring, selection for anaesthesia and intensive care: continuing medical education (Hope and Morrison), 670
 - transducer measuring arterial blood pressure offset by electrocautery: technical report (Milne *et al.*), 234
 - tubes, endotracheal
 - aspiration beyond (Seegobin and van Hasselt), 273
 - connector fracture – an avoidable hazard: correspondence (Nixon), 251
 - value of PEEP to reduce incidence of aspiration around (Janson and Poulton), 157
 - ventilator, Air-Shields, leak of driving gas from: correspondence (Lee, Jelenick and Henry), 263
- Esmolol, see Sympathetic nervous system, sympatholytic agents

Eye

– *intraocular pressure*

- effects of atracurium compared with succinylcholine on, during steady state anaesthesia and rapid sequence induction (Lavery *et al.*), 437
- physiology and, implications for anaesthetic management: review article (Cunningham and Barry), 195
- *strabismus*
 - repair in children: droperidol pretreatment: abst. (Eustis *et al.*), S115
 - surgery in preschool children, nausea and vomiting after (Hardy *et al.*), 57

Fasciculations, see Muscle, Skeletal

Fentanyl, see Anaesthetics, Intravenous

Fistula, see Complications

Flecainide, see Heart, arrhythmias

Fluid balance

- hydroxyethyl starch, allergic reaction to: clinical report (Porter and Goldberg), 394
- *mannitol*
 - effect of high dose on serum urine electrolytes and osmolality in neurosurgical patients: abst. (Manninen *et al.*), S91
 - effect on intracranial pressure in dog with and without intracranial hypertension: abst. (Katz *et al.*), S81
 - in man, haemodynamic effects of: abst. (Brown *et al.*), 92

Freeman-Sheldon syndrome, see Complications

Gases, Nonanaesthetic, helium in airway obstruction due to thyroid cancer: clinical report (Rudow *et al.*), 498

Gastrointestinal tract

– *cimetidine*

- and ranitidine with and without metoclopramide, effect of, on gastric volume and pH in morbidly obese patients (Lamb *et al.*), 773
- common bile duct pressure in early post-operative period, effect of nalbuphine on (Vatashsky and Hasket), 433
- *gastric pH*
 - effect of cimetidine and ranitidine, with and without metoclopramide on, in morbidly obese patients (Lam *et al.*), 773
 - in critically ill patients, cimetidine compared with ranitidine in controlling (Reid and Bayliff), 287
 - gastric volume, effect of cimetidine and ranitidine

- with and without metoclopramide on, in morbidly obese patients (Lam *et al.*), 773
- *rانيتidine*
 - compared with cimetidine in controlling gastric pH in critically ill patients (Reid and Bayliff), 287
 - compared with cimetidine, with and without metoclopramide, effect on gastric volume and pH in morbidly obese patients (Lamb *et al.*), 773
- General anaesthesia, see Anaesthetic techniques, inhalation, intravenous; Anaesthetics, Gases, Intravenous, Volatile
- Genetic factors
 - achondroplastic dwarfs, anaesthesia for: clinical report (Mayhew *et al.*), 216
 - amelia, dental anaesthesia in child with: clinical report (Tallmeister, Sheehan and Pelton), 484
 - congenital defects, Klippel-Feil syndrome, anaesthetic considerations in: clinical report (Naguib, Farag and Ibrahim), 66
 - Duchenne muscular dystrophy and malignant hyperthermia: clinical report (Wang and Stanley), 492
 - Freeman-Sheldon syndrome, cranofacial dysostosis, implications for anaesthesia: clinical report (Laishley and Roy), 388
 - malignant hyperthermia susceptible parturient; anaesthetic management: clinical report (Douglas and McMorland), 371
 - mandibular dysostosis, Pierri Robin anomaly, Treacher-Collins syndromes: Anaesthesia for: clinical report (Rasch), 364
 - plasma cholinesterase absence (silent gene), neuromuscular blocking agents and reversal in a patient with: clinical report (Dyker *et al.*), 657
- Glycogen storage disease, see Metabolism
- Glycogenosis, anaesthesia for diagnostic muscle biopsy in an infant with (Rosen and Broadman), 790
- Glycopyrrolate, see Premedication
- Heart
 - *arrhythmias, antiarrhythmic drugs*: refresher course outline (Roy), S66
 - dispropamide, S67
 - encainide, S66
 - flecainide, S66
 - mexiletine, S66
 - procainamide, S67
 - quinidine, S67
 - tocainide, S66
 - *cardiac output*
 - effect of dobutamine, nitroprusside or volume expansion on, after CPPV (Noble and Kay), 48
 - effect of lidocaine on, in nonstressed and stressed foetal lamb (Friesen *et al.*), 130
 - measurements by thermodilution, limitations of: brief review (Nadeau and Noble), 780
 - cardiac arrest, following intravenous hydralazine and propranolol therapy post-embolectomy: clinical report (Hickey), 379
 - *cardiovascular*
 - agents, hydralazine and propranolol, intravenous therapy causing hyperkalaemic cardiac arrest in post-embolectomy patient: clinical report (Hickey *et al.*), 379
 - and respiratory effects of ketamine in the neonatal lamb (Burrows, Norton and Fewel), 10
 - effects of isoflurane during short exposures in foetal lamb (Bachman *et al.*), 41
 - effects of local anaesthetics: refresher course outline (Covino), S5
 - coronary arterial smooth muscle, fentanyl and responsiveness of: abst. (Blaise *et al.*), S104
 - *coronary artery*
 - bypass surgery, incidence of pre-bypass ischaemia during sufentanil O₂ / pancuronium anaesthesia: abst. (Litak *et al.*), S97
 - disease, cardiovascular effects of non-depolarizing neuromuscular blockers in patients with (Sethna, Starr and Estafanous), 280
 - surgery in hypertensive patients, myocardial metabolism and haemodynamic responses with fentanyl-halothane anaesthesia: abst. (O'Brien *et al.*),
 - dilated cardiomyopathy, epidural analgesia for total hip replacement in a person with: clinical report (Amaranath *et al.*), 84
 - electrocardiogram, abnormal, during battery operation of Mennen model 741 ECG monitor: correspondence (Parker and Moseley), 111
 - electrocardiographic ST segment elevation following myocardial reperfusion: abst. (Thomson *et al.*), S102
 - left ventricular ejection fraction during anaesthetic induction, comparison of rapid sequence and elective (Chraemmer-Jørgensen *et al.*), 754
 - mitral valve prolapse, ventricular fibrillation during general anaesthesia, in a seven-year-old patient with (Casthely *et al.*), 795
 - *myocardium*
 - effect of verapamil when added to fentanyl on: abst. (Ramsay *et al.*), S100
 - function during ischaemia, deterioration caused by nitrous oxide: abst. (Nathan), S99

- infarction, anaesthesia and: continuing medical education (Maillé *et al.*), 808
- ischaemic reperfusion injury, in anaesthetized rabbit: comparative effects of halothane and isoflurane (Dolman and Godin), 443
- reperfusion, electrocardiographic ST-segment evaluation: abst. (Thomson *et al.*), S102
- rate, effect of rapid sequence induction of anaesthesia versus elective induction on (Chraemmer-Jørgensen *et al.*), 755
- Helium, see Gases, Nonanaesthetic
- Hepatitis, see Liver
- Hip arthroplasty, see Surgery, Orthopaedic
- Hip replacement, see Surgery, Orthopaedic
- Histamine-2-receptor antagonists
- *cimetidine*
 - compared with ranitidine in controlling gastric pH in critically ill patients (Reid and Bayliff), 287
 - ranitidine, with and without metoclopramide compared for acid aspiration treatment in morbidly obese patients: abst. (Lam *et al.*), S110
- *ranitidine*
 - compared with cimetidine in controlling gastric pH in critically ill patients (Reid and Bayliff), 287
 - cimetidine, with and without metoclopramide compared for acid aspiration treatment in morbidly obese patients: abst. (Lam *et al.*), S110
- Hydralazine, see Neuromuscular relaxants
- Hydroxyethyl starch, see Fluid Balance
- Hypertension, see Complications
- Hyperthermia
- *malignant*
 - anaesthetic management of, in a susceptible parturient: clinical report (Douglas and McMorland), 371
 - and Duchenne muscular dystrophy: clinical report (Wang and Stanley), 492
 - amide local anaesthetics in MHS patients: editorial (Paasuke and Brownell), 126
 - blood lactate studies in (Gronert, Ahern and Milde), 729
 - choice of anaesthesia for muscle biopsy: correspondence (Lewis and Caltran), 419; reply (Britt), 419
 - dantrolene induction for use in MHS patients undergoing surgery: abst. (Cunliffe *et al.*), S113
 - dantrolene prophylaxis, 374
 - dantrolene in treatment (Gronert, Ahern and Milde), 729
 - development of, obscured by cardiopulmonary bypass: clinical report (MacGillivray *et al.*), 509
 - during anaesthesia in a child with Duchenne's muscular dystrophy (Sethna and Rockoff), 799
 - muscle energy stores, studies in (Gronert, Ahern and Milde), 729
 - porcine, treatment of, studies of lactate gradient from muscle to blood (Gronert, Ahern and Milde), 729
- Hypotension, induced, diltiazem, effect on normal and increased intracranial pressure in cats (Thiagarajah *et al.*), 578
- Hypothermia, accidental in operating room: continuing medical education (Morley-Forster), 516
- Hypoxia, relationship to transcutaneous PO₂ and arterial PO₂: correspondence (Tremper, Andersen and Baker), 108
- Immune response, anaesthesia and: refresher course outline (Moudgil), S54
- Immune system
- AIDS, safety and adequacy of the Canadian blood supply: editorial (Derrick), 117
- Induction
- *anaesthesia*
 - atracurium for tracheal intubation, comparison of priming intervals (Naguib *et al.*), 150
 - in children, effects of dose concentrations of rectal methohexitone on (Laishley, O'Callaghan and Lerman), 427
 - optimal priming dose of atracurium (Naguib, Abdullatif and Absood), 453
 - rapid sequence and elective, compared, effect on heart rate, blood pressure and left ventricular ejection fraction during (Chraemmer-Jørgensen *et al.*), 754
 - rapid sequence, effect of atracurium and succinylcholine on intraocular pressure (Lavery *et al.*), 437
 - with fentanyl and sufentanil, serum catecholamine responses to: abst. (Thomson *et al.*), S69
 - with ketamine in a patient with hyperinsulinism treated with oral diazoxide: correspondence (Yamashita, Motokawa and Hirano), 685
- Intensive care
- costs, reducing without diagnosis-related or case-mix groupings (Girotti and Brown), 765
- factors predicting discharge, acute physiology score, therapeutic intervention score (Girotti and Brown), 294
- monitoring equipment in; continuing medical education (Hope and Morrison), 670
- paediatric critical care, study of admissions and mor-

- tality in multidisciplinary unit: clinical report (Gauthier, Lacroix and Rousseau), 89
- Interactions
- allergic drug reactions and anaesthesia: continuing medical education (Moudgil), 400
- Intraocular, see Eye
- Intubation
- *endotracheal*
 - cardiovascular response to: abst. (Belisle *et al.*), S117
 - optimal priming dose of atracurium for (Naguib, Abdullatif and Absood), 453
 - rapid, with atracurium, a comparison of priming intervals (Naguib *et al.*), 150
 - *fiberoptic*
 - awake, a method of topical anaesthesia and orotracheal intubation: clinical report (Sutherland and Sale), 502
 - improvements in technique: correspondence (Oxorn and Whatley), 824; reply (Green), 824
 - gastric, iatrogenic oesophageal perforation: clinical report (Norman and Sosis), 222
 - heart rate changes after, effect of divided doses of thiopentone on: abst. (Nadeau and Robblee), S83
 - *tracheal*
 - complications after thiopentone and succinylcholine, esmolol for control of increased blood pressure and heart rate following (Liu *et al.*), 556
 - iatrogenic oesophageal perforation: clinical report (Norman and Sosis), 222
- Isoflurane, see Anaesthetics, Volatile
- Isozyme, see Enzymes
- Ketamine, see Anaesthetics, Intravenous
- Kidney, acute renal failure: refresher course outline (Byrick), S9
- Klippel-Fell syndrome, see Complications
- Larynx, stimulation, causing reflex bronchodilation: abst. (Michoud *et al.*), S73
- Lidocaine, see Anaesthetics, Local; Heart, arrhythmias
- Liver
- *hepatitis B*
 - prevalence of, in anaesthesia personnel (Malm *et al.*), 167
 - risk factors in anaesthesia personnel (Malm *et al.*), 167
- Liver, resection, air embolism during: clinical report (Delva *et al.*), 488
- Local anaesthetics, see Anaesthetics, Local
- Lung
- alveolar proteinosis, lung lavage: clinical report (Hides, Bradley and Brebner), 662
 - asthma, lung lavage complicated by hydropneumothorax: clinical report (Hudes, Bradley and Brebner), 662
 - lavage, complicated by hydropneumothorax: clinical report (Hudes, Bradley and Brebner), 662
 - oedema after CPPV, effects of dobutamine, nitroprusside or volume expansion on, (Noble and Ray), 48
 - pulmonary function, postoperative, after epidural meperidine analgesia following cardiac surgery (Robinson *et al.*), 550
 - pulmonary resection, perioperative transcutaneous oxygen monitoring during thoracic anaesthesia (Chubra-Smith, Grant and Jenkins), 745
 - relationship between pulmonary pressure measurements and the lung: 356
 - respiratory effects of ketamine in the neonatal lamb (Burrows, Morton and Fewel), 10
- Magnetic resonance imaging, see Diagnosis
- Malignant hyperthermia, see Hyperthermia, Malignant
- Mannitol, see Fluid balance
- Medical devices, see Equipment
- Measurement techniques
- arterial carbon dioxide tension, during Bain breathing circuit for Caesarean section (Moseley, Shankar and Krishnan), 583
 - blood pressure, invasive - non-invasive oscillometry, a comparative clinical study during deliberate hypotension (Gourdeau *et al.*), 300
 - direct blood pressure at the radial dorsalis pedis arteries during nitroprusside and isoflurane induced hypotension: abst. (Lenis *et al.*), S116
 - end-tidal and arterial values of PCO₂ in infants and children: abst. (Bissonnette and Lerman), S76
 - gastric contents under general anaesthesia: abst. (Hardy *et al.*), S119
 - neuromuscular blockade for rapid intubation in children, pancuronium and succinylcholine compared (Cunliffe *et al.*), 760
 - pulmonary artery pressure, misinterpretation: review article (Nadeau and Noble), 352
 - thermodilution, cardiac output determinations: brief review (Nadeau and Noble), 780
 - transcutaneous oxygen tension (PtcO₂) in thoracic anaesthesia (Chubra-Smith, Grant and Jenkins), 745
- Metabolism, glycogen storage disease, anaesthesia for diagnostic muscle biopsy in an infant with (Rosen and Broadman), 790

Medical Devices Reporting Project (MDRP), see Organizations

Metoclopramide, see Vomiting, anti-emetics

Metocurine, see Neuromuscular relaxants

Mexiletine, see Heart, arrhythmias

Monitoring

- blood pressure, oscillometry and direct, a comparative clinical study during deliberate hypotension (Gourdeau *et al.*), 300
- body temperature in the operating room, 521
- equipment, selecting for anaesthesia and intensive care: continuing medical education (Hope and Morrison), 670
- marrow embolism during cemented arthroplasty: abst. (Byrick *et al.*), S120
- oxygen in thoracic anaesthesia (Chubra-Smith, Grant and Jenkins), 745
- pulmonary arterial pressure during liver resection: clinical report (Delva *et al.*), 488
- transcutaneous oxygen, in infant undergoing tracheo-esophageal fistula repair: clinical report (Bautista, Kuwahara and Henderson), 505

Morphine, see Analgesics

Muscle

- biopsy: correspondence (Lewis and Caltran, 419; reply (Britt), 419
- *skeletal*
 - Duchenne's muscular dystrophy, cardiac arrest following inhalation induction of anaesthesia in a child with (Sethna and Rockoff), 799
 - fasciculations and myalgias induced by succinylcholine, use of atracurium to prevent: abst. (Lieberman and Skala), S90
 - fasciculations, effect of "self-taming" dose of succinylcholine on (Blanc, Vaillancourt and Brisson), 178
 - myoglobinaemia, effect of "self-taming" dose of succinylcholine on (Blanc, Vaillancourt and Brisson), 178
 - myotonic dystrophy, aspiration pneumonitis and coma, an unusual presentation of (Hannon *et al.*), 803

Myocardium, see Heart

Nalbuphine, see Antagonists, Narcotic

Neuromuscular blockade, see Anaesthetic technique, regional, blockade

Neuromuscular relaxants

- *atracurium*
 - anaphylactoid reaction to: clinical report (Tetzlaff and Gellman), 647

- blockade, accelerated reversal with divided doses of neostigmine (Abdulatif and Naguib), 723
- cardiovascular effects of, in patients with coronary disease (Sethna, Starr and Estafanous), 280
- compared with succinylcholine, effects on intracranial pressure in monkeys with intracranial hypertension (Haigh *et al.*), 421
- effect on intraocular pressure during steady state anaesthesia and rapid sequence induction, compared with succinylcholine (Lavery *et al.*), 437
- infusion for neuromuscular blockade: refresher course outline (Savarese), S1
- optimal priming dose for (Naguib, Abdulatif and Absood), 453
- potentiation by pancuronium and d-tubocurarine (Gerber, Romppainen and Schwinn), 563
- prevention of succinylcholine fasciculations and myalgias: abst. (Lieberman and Skala), S90
- prolonged blockade with: clinical report (Bizzari-Schmid and Desai), 209; correspondence (Naguib and Gyasi), 682; reply (Bizzari-Schmid and Desai), 684
- rapid tracheal intubation with, comparison of priming intervals (Naguib *et al.*), 150
- role of in haemodynamic course of high-dose fentanyl anaesthesia (Heinonen, Salmenperä and Suomivuori), 597
- *d-tubocurarine*
 - blockade, priming effect on onset (Donati *et al.*), 571
 - dose-response relationships for edrophonium, pyridostigmine and neostigmine as antagonists of: abst. (Donati *et al.*), 587
 - effect on fasciculations and myoglobinaemia (Blanc, Vaillancourt and Brisson), 178
 - pretreatment, potentiation of atracurium by (Gerber, Romppainen and Schwinn), 563
 - priming in children: abst. (Baxter *et al.*), S86
 - reversal with neostigmine in a patient with absent plasma cholinesterase: clinical report (Dykes *et al.*), 657
- hydralazine (vasodilator therapy), in perioperative period: review article (Fyman *et al.*), 638
- in newborn anaesthesia, S39
- laudanosine, infusion for neuromuscular blockade: refresher course outline (Savarese), S1
- metocurine, cardiovascular effects of, in patients with coronary artery disease (Sethna, Starr and Estafanous), 280

- *pancuronium*
 - blockade, priming effect on onset of (Donati *et al.*), 571
 - cardiovascular effects of, in patients with coronary artery disease (Sethna, Starr and Estafanous), 280
 - compared with succinylcholine for rapid intubation in children (Cunliffe *et al.*), 760
 - dose-response relationships for edrophonium, pyridostigmine and neostigmine as antagonists of: abst. (Donati *et al.*), S87
 - influence of sex, age and weight on: abst. (Donati and Bevan), S86
 - pretreatment potentiation of atracurium by (Gerber, Romppainen and Schwinn), 563
 - reversal with neostigmine in a patient with absent plasma cholinesterase: clinical report (Dykes *et al.*), 657
 - role of, haemodynamic course of high-dose fentanyl anaesthesia (Heinonen, Salmenperä and Suomivuori), 597
- pentamethylene diacrylate, infusion of, for neuromuscular blockade: refresher course outline (Savarese), S1
- *succinylcholine*
 - cardiovascular effects of, in patients with coronary artery disease (Sethna, Starr and Estafanous), 280
 - compared with atracurium, effects on intracranial pressure in monkeys with intracranial hypertension (Haigh *et al.*), 421
 - compared with succinylcholine for rapid intubation in children (Cunliffe *et al.*), 760
 - effect of pre-existing beta blockade on potassium flux in patients receiving: abst. (O'Brien *et al.*), S89
 - effect on fasciculations and myoglobinaemia (Blanc, Vaillancourt and Brisson), 178
 - effect on intraocular pressure during steady state anaesthesia and rapid sequence induction, compared with atracurium (Lavery *et al.*), 437
 - effect on residual non-depolarizing blockade: abst. (Kitts *et al.*), S75
 - fasciculations and myalgias caused by, atracurium to prevent: abst. (Lieberman and Skala), S90
 - haemodynamic reactions to: correspondence (Baraka), 252; reply (Nigrovic), 253
 - in patients with brain tumours, serum potassium following (Minton, Stirt and Bedford), 328
 - interaction with esmolol (Barabas *et al.*), 332
 - shortened action of, in individuals with cholinesterase C₅ isozyme (Sugimori), 321
 - use in management of a child with dermatomyositis: clinical report (Johns, Finholt and Stirt), 71
- *vecuronium*
 - infusion of, for neuromuscular blockade: refresher course outline (Savarese), S1
 - role of, in haemodynamic course of high-dose fentanyl anaesthesia (Heinonen, Salmenperä and Suomivuori), 597
- Neuromuscular transmission- train-of-four (Abdulatif and Naguib), 723
- Neurosurgery, see Surgery, Neurologic
- Newborn, see Anaesthesia, Paediatric
- Nitroglycerin, see Surgery, cardiac
- Nitroprusside, see Pharmacology; Surgery, Cardiac
- Nitrous oxide, see Anaesthetics, gases
- Obesity, see Complications
- Obstetric anaesthesia, See Anaesthesia, Obstetric
- Operating room, blood loss in: correspondence (Ha and Weiler), 685
- Organizations
 - Canadian Anaesthetists' Society Medal (Spoerel), 689
 - Medical Devices Reporting Projecting (MDRP) - when anaesthetic equipment fails: editorial (Cohen), 1
- Osmolality, see Cerebrospinal fluid
- Oxygen
 - blood levels, relationship of transcutaneous PO₂ and arterial PO₂: correspondence (Tremper, Anderson and Baker), 108
 - consumption, following open heart surgery: abst. (Ralley *et al.*), S70
 - hypoxaemia, sleep-related, after abdominal surgery in the obese: abst. (Moote *et al.*), S105
 - hypoxia during thoracic surgery, oxygen monitoring to provide early warning of impending hypoxia (Chubra-Smith, Grant and Jenkins), 745
 - measurement of cost of breathing as index of weaning ability from mechanical ventilation: abst. (McDonald), S74
 - need following anaesthesia in children: correlation with recovery scores: abst. (Hannallah *et al.*), S111
 - tension, measurement during thoracic anaesthesia (Chubra-Smith, Grant and Jenkins), 745
- Paediatric anaesthesia, see Anaesthesia, Paediatric
- Pain
 - management of: refresher course outline (Catchlove), S13

- *postoperative*
 - control of, by meperidine in spinal anaesthesia (Naguib, Famewo and Absood), 162
 - epidural ketamine for control (Naguib *et al.*), 16
- Pancuronium, see Neuromuscular relaxants
- Papavaretum, see Analgesics, opium
- PEEP, see Ventilation, positive end-expiratory pressure
- Phaeochromocytoma, see Surgery
- Pharmacodynamics, priming principle, study of onset of pancuronium and d-tubocurarine blockade (Donati *et al.*), 571
- Pharmacokinetics
 - distribution, clearance, elimination of morphine after intravenous loading and maintenance infusion (Sitar *et al.*), 145
 - of alfentanil altered: abst. (Robbins *et al.*), S103
 - of meperidine in spinal anaesthesia (Naguib, Famewo and Absood), 162
- Pharmacology
 - antiarrhythmic drugs: refresher course outline (Roy), S65
 - nitroprusside, effect on cardiac output and lung water after CPPV (Noble and Kay), 48
 - verapamil, haemodynamic effect of, after large doses of fentanyl in man (Kapur *et al.*), 138
- Phentolamine, see Sympathetic nervous system, sympatholytic agents
- Pierre Robin syndrome, see Complications
- Pompe's disease, see Metabolism, glycogen storage disease
- Potency, anaesthetic (MAC) of isoflurane in the foetal lamb (Bachman *et al.*), 41
- Pre-eclampsia, see Complications
- Pregnancy: see also Anaesthesia, Obstetric
 - *foetus*
 - effect of lidocaine on foetal lamb (Friesen *et al.*), 130
 - isoflurane potency and cardiovascular effects during short exposures in lamb (Bachman *et al.*), 41
- Premedication, glycopyrrolate, incidence of nausea and vomiting after use in strabismus surgery in pre-school children (Hardy *et al.*), 57
- Procainamide, see Heart, arrhythmias
- Prophylaxis, see Drugs
- Propranolol, see Heart, Cardiovascular agents
- Pruritis, see Complications
- Pulmonary, see Lung
- Pyridostigmine, see Antagonists, Neuromuscular, neostigmine
- Quinidine, see Heart, arrhythmias
- Ranitidine, see Gastrointestinal tract; Histamine-2-receptor antagonists
- Records, anaesthesia, a survey of 112,000 anaesthetics at one teaching hospital (1975-83); (Cohen *et al.*), 22
- Recovery
 - emergence, increasing carbon-dioxide tension during: abst. (Lim and Chung), S77
 - *room*
 - evolution of patient care in early postoperative period: editorial (Kehler), 269
 - organization and administration of, in the 1980's: special article (Landow), 349
- Research, experimental design and statistical analysis: special article (Moodie and Craig), 63
- Respiratory, see Lung
- Resuscitation, see Ventilation, artificial
- Rhabdomyolysis, see Complications
- Serum, see Blood
- Shock, diaphragmatic fatigue and blood flow distribution in: refresher course outline (Roussos), S61
- Sleep apnoea syndrome, see Complications
- Sleep, disturbances of, following upper abdominal surgery: abst. (Moote), S105
- Somatosensory-evoked potentials, see Brain, evoked potentials
- Spinal anaesthesia, see Anaesthetic techniques, regional
- Spoerel, Wolfgang Eberhard: Canadian Anaesthetists' Society Medal, 689
- Statistics
 - analysis of scores to predict outcome from intensive care unit (Girotti and Brown), 294
 - experimental design and statistical analysis: special article (Moodie and Craig), 63
 - survey of 112,000 anaesthetics at one teaching hospital, 1975-83 (Cohen *et al.*), 22
- Stellate ganglion, see Anaesthetic techniques, regional
- Stomach, see Vomiting
- Succinylcholine, see Neuromuscular relaxants
- Sufentanil, Anaesthetics, Intravenous
- Surgery
 - *abdominal*
 - disturbances of sleep following: abst. (Moote *et al.*), S105
 - in the obese, severe sleep-related hypoxaemia after: abst. (Moote *et al.*), S106
 - anaesthetic management of surgical patient: correspondence (Hardy, Guay and Baillargeon), 256
 - *aorta, abdominal*
 - cardiac function during: abst. (Ansley *et al.*), S70
 - fentanyl oxygen anaesthesia for (Friesen *et al.*), 719

- *cardiac*
 - epidural meperidine analgesia after (Robinson *et al.*), 550
 - in children, fentanyl oxygen versus fentanyl-N₂O oxygen (Crean *et al.*), 36
 - nitroglycerin in perioperative period (vasodilator therapy): review article (Fyman *et al.*), 629
 - nitroprusside (vasodilator therapy) in perioperative period: review article (Fyman *et al.*), 629
 - vasodilator therapy in perioperative period: review article (Fyman *et al.*), 629
- *cardiopulmonary bypass*
 - obscuring malignant hyperthermia: clinical report (MacGillivray *et al.*), 509
 - recognition of pheochromocytoma during: clinical report (Brown and Caplan), 785
- *cardiovascular*
 - high dose fentanyl for, comparison of use of pancuronium, vecuronium and atracurium as a muscle relaxant (Heinonen, Salmenperä and Suomivuori), 597
 - isoflurane augments the hyperthermia induced reduction of cerebral metabolic rate during: abst. (Woodcock *et al.*), S82
- *coronary artery*
 - bypass, recognition of phaeochromocytoma during: clinical report (Brown and Caplan), 785
 - role of short acting beta blocker (esmolol), in patients undergoing: abst. (Ralley *et al.*), S98
- day care unit, anaesthesia for: conference report (Paasuke), 644
- effect on renal function, S11
- *embolectomy*
 - postoperative complications due to intravenous hydralazine and propranolol therapy: clinical report (Hickey *et al.*), 379
 - transvenous pulmonary embolectomy, anaesthetic technique: clinical report (Goldberg *et al.*), 79
- hip, see Surgery, Orthopaedic
- malignant hyperthermia susceptible patients undergoing, indications for dantrolene treatment: abst. (Cunliffe *et al.*), S113
- *neurologic*
 - effect of high dose mannitol on serum and urine electrolytes in: abst. (Manninen *et al.*), S90
 - in achondroplastic dwarfs, anaesthetic management: clinical report (Mayhew *et al.*), 216
 - open heart, oxygen consumption and carbon dioxide production following: abst. (Ralley *et al.*), S70
- ophthalmic, anaesthetic management: review article (Cunningham and Barry), 195
- *orthopaedic*
 - arthroplasty, monitoring of marrow embolism during cemented: abst. (Byrick *et al.*), S120
 - hip arthroplasty, comparison of diltiazem with nitroprusside in producing controlled hypotension during (Bernard *et al.*), 308
 - hip replacement, total, in a patient with dilated cardio-myopathy, epidural analgesia for: clinical report (Amaranath *et al.*), 84
- *outpatient*: see also Surgery, Paediatric
 - day care unit, anaesthesia for: conference report (Paasuke), 644
 - diprivan versus thiopentone for: abst. (Johnston *et al.*), S106
- *paediatric*
 - outpatient, bupivacaine for caudal analgesia, optimum concentration of: abst. (Kapsten *et al.*), S114
 - outpatient, delayed vomiting after papavaretum (Wilton and Burn), 741
 - spinal anaesthesia for minor: clinical report (Blaise and Roy), 227
 - strabismus repair, droperidol pretreatment in: abst. (Eustis *et al.*), S115
- *phaeochromocytoma*
 - recognition of, during coronary artery bypass surgery: clinical report (Brown and Caplan), 785
 - recurrence of bronchial asthma following adrenalectomy for: correspondence (Nishikawa *et al.*), 109
- *post-operative*
 - analgesia, epidural morphine for: correspondence (McMorland and Douglas), 115; reply (Writer, Hurtig and Fox), 116
 - complications: correspondence (Lunn), 533; reply (Cohen *et al.*), 533
 - intrabiliary pressure, effect of nalbuphine on (Vatashsky and Haskel), 433
 - period, evolution of patient care in: editorial (Kehler), 269
 - pulmonary resection, perioperative transcutaneous oxygen monitoring in (Chubra-Smith, Grant and Jenkins), 745
 - thoraco-abdominal haemodynamic and metabolic changes after aortic cross-clamping: abst. (Bertram *et al.*), S68
 - urologic, transurethral prostaticectomy, visual evoked potential changes following - correlated with glycine absorption and ammonia metabolism: abst. (Cunningham *et al.*), S96
 - vascular, fentanyl anaesthesia for abdominal aortic (Friesen *et al.*), 719

Sympathetic nervous system

- amiodarone, antiarrhythmic effects of, S67
- anaesthesia, catecholamine levels after verapamil administration (Kapur *et al.*), 138
- beta blockade, pre-existing, effect on potassium flux in patients receiving succinylcholine: abst. (O'Brien *et al.*), S89
- bretylium, antiarrhythmic affects, S67
- catecholamines
 - effect of isoflurane-induced hypotension on: abst. (Macnab *et al.*), S109
 - epinephrine, effect of, in local anaesthesia on epidural morphine pruritis (Douglas *et al.*), 737
- epinephrine, prolongation of canine tetracaine spinal anaesthesia (Bedder *et al.*), 591
- dobutamine, effect of, on cardiac output and lung volume after CPPV (Noble and Kay), 48
- ganglia, trimethaphan in pre-operative period (vasodilator therapy): review article (Fyman *et al.*), 638
- serum catecholamine responses to anaesthetic induction with fentanyl and sufentanil: abst. (Thomson *et al.*), S69
- sympatholytic agents
 - esmolol
 - for control of increases in heart rate and blood pressure during tracheal intubation after thiopentone and succinylcholine (Liu *et al.*), 556
 - inhibitory effect of, on human plasma-cholinesterase (Barabas *et al.*), 332
 - role of an ultra-short acting beta blocker (esmolol), in patients undergoing artery surgery: abst. (Ralley *et al.*), S98
 - pentolamine (vasodilator therapy) in perioperative patients: review article (Fyman), 638

Temperature

- body, effect of anaesthetic drugs on, 518
- body, regulation of in the operating room: continuing medical education (Morley and Forster), 516

Tetracaine, see Anaesthetics, Local

Thiopentone, see Anaesthetics, Intravenous

Tocainide, see Heart, arrhythmias

Transducer, see Equipment

Transfusion

- AIDS and the safety and adequacy of the Canadian blood supply: editorial (Derrick), 117
- changing patterns of practice in a tertiary care hospital from 1977-1984 (Freedman, Lim and Wright), 458
- complications, air embolism during liver resection, an unusual mechanism of entry from a peristaltic pump: clinical report (Delva *et al.*), 488

Treacher Collins syndrome, see Complications

Trimethaphan, see Sympathetic nervous system, ganglia

Vasopressin, see Hormones, antidiuretic

Veins, cannulation, late venous perforation due to: correspondence (Barra, Dru and Freffe), 256

Ventilation

- artificial, CPR 1986: refresher course outline (Donegan), S43
 - continuous positive pressure (CPPV), effects of dobutamine, nitroprusside, or volume expansion on cardiac output and lung water after (Noble and Kay), 48
 - controlled, in anaesthetized adults, Bain system compared with Humphrey A.D.E. single lever low flow system (Humphrey *et al.*), 710
 - controlled, in anaesthetized adults, Humphrey A.D.E. single lever low flow system compared with Bain (Humphrey *et al.*), 710
 - mechanical
 - effect of conventional versus high-frequency, on intracranial and cerebral perfusion pressures: abst. (Bellefleur *et al.*), S94
 - measurement of spontaneous breathing as an index of weaning ability: abst. (MacDonald *et al.*), S74
 - positive end-expiratory pressure (PEEP), efficacy of, in reducing incidence of aspiration around endotracheal tubes (Janson and Poulton), 157
 - respiratory depression following epidural morphine (Sandler, Chovaz and Whiting), 542
 - spontaneous, Bain, Magill and Mapleson systems compared with single lever A.D.E. Humphrey low-flow universal anaesthetic breathing system (Humphrey *et al.*), 698
 - spontaneous, universal anaesthetic breathing system: editorial (Byrick and Rose), 694
- Vecuronium, see Neuromuscular relaxants
- Verapamil, see Calcium entry blockers; Pharmacology
- Vomiting
- anti-emetics, metoclopramide
 - effects of cimetidine and ranitidine with and without, on gastric volume and pH in morbidly obese patients (Lam *et al.*), 773
 - with and without cimetidine and ranitidine for aspiration prophylaxis in morbidly obese patients: abst. (Lam *et al.*), S110
 - gastric contents; measurement of, under general anaesthesia: abst. (Hardy), S119
 - nausea and, after strabismus surgery in preschool children (Hardy *et al.*), S7

